



Jonathan P. Steverson
Executive Director

Northwest Florida Water Management District

Carr Building, Suite 225, 3800 Commonwealth Blvd., MS LS225,
Tallahassee, Florida 32399

(850) 921-2986 (Fax) 921-3082

March 14, 2014

Joy Swanson
FDOT District 3
1074 Hwy 90
Chipley, FL 32428

Re: **Notice of Final Agency Action - Determination of Qualification**
General Environmental Resource Permit

Project Name: SR30E from 30A to St. Joe Buffer Preserve Gulf County
Permit Number: 1553

Dear Joy Swanson:

The District has received your notice of intent to use a General Environmental Resource Permit. Based upon the submitted information, the proposed activity qualifies for a General Environmental Resource Permit pursuant to Chapter 62-330, Florida Administrative Code (F.A.C.). The proposed activity is subject to the general conditions in Rule 62-330.405, F.A.C. (see attached Exhibit A) and the specific conditions of Rule 62-330.443 F.A.C. (see attached Exhibit B). Deviations from these conditions may subject you to enforcement action and possible penalties. You are responsible for conducting construction in a manner that satisfies all criteria.

Please be advised that the District has not published a notice in the newspaper advising the public that this activity has qualified for the use of a General Environmental Resource Permit. Publication, using the District form, notifies the public of their right to challenge the issuance of this permit. If proper notice is given by publication, third parties have a 21-day time limit to file a petition opposing the issuance of the permit. If you do not publish, a party's right to challenge the issuance of the permit extends for an indefinite period of time. If you wish to have certainty that the period for filing such a challenge is closed, then you may publish, at your own expense, such a notice in a newspaper of general circulation. A copy of the form of the notice and a list of newspapers of general circulation is attached for your information. If you do publish a notice, please submit a copy of the published notice to the District for our records.

GEORGE ROBERTS
Chair
Panama City

JERRY PATE
Vice Chair
Pensacola

JOHN ALTER
Malone

GUS ANDREWS
DeFuniak Springs

STEPHANIE BLOYD
Panama City Beach

GARY CLARK
Chipley

JON COSTELLO
Tallahassee

NICK PATRONIS
Panama City Beach

BO SPRING
Port Saint Joe

Joy Swanson
March 14, 2014
Page 2

This verification of qualification to use a General Environmental Resource Permit does not eliminate the need for obtaining all necessary permits or approvals from other agencies.

Should you have any questions regarding your permit, its conditions, or additional forms or information

you need to submit, please contact your permit reviewer, Ronald R. Potts, P.E., P.G., at 850-921-2986, or by e-mail: ron.potts@nwfwmd.state.fl.us.

Sincerely,

A handwritten signature in blue ink, appearing to read 'MB', enclosed within a circular scribble.

Michael Bateman
Chief, Bureau of Environmental Resource Regulation

cc: Judith M. Hayden

Enclosures: Notice of Rights
Sample Newspaper Notice

**NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT
GENERAL ENVIRONMENTAL RESOURCE PERMIT**

GENERAL ENVIRONMENTAL PERMIT NUMBER:1553

DATE ISSUED: March 14, 2014

PROJECT NAME: SR30E from 30A to St. Joe Buffer Preserve Gulf County

AN AGENCY ACTION AUTHORIZING:

The use of a General Environmental Resource Permit, pursuant to section 62-330.443, F.A.C. on March 14, 2014, for the following:

The installation and extension of culverts located along the approximately 4.1 mile length of State Road 30E between State Road 30A and the St. Joe Bay Buffer Preserve in Gulf County. The activity will include the installation of one new culvert location, the extension of nine existing culverts, and replacement of all driveway culverts within the southern right of way of Highway 30E. Additionally, the activity will require the dredging and filling of 33,437 square feet of wetlands that will not exceed 0.77 acres in area combined for 10 culvert locations. There is no one culvert installation or extension that exceeds 0.25 acres of wetland and other surface water impacts at a single location. The project meets the criteria of the Noticed General Permit 62-330.447, F.A.C.

LOCATION:

City: Port St. Joe	County: Gulf	
Address: SR 30E		
Section(s):	Township(s):	Range(s):
Latitude: 29° 41' 10" N	Longitude: 85° 18' 34" W	

ISSUED TO:

FDOT District 3
1074 Hwy 90
Chipley, FL 32428

Permittee agrees to hold and save the Northwest Florida Water Management District and its successors harmless from any and all damages, claims, or liabilities which may arise from permit issuance. Said application, including all plans and specifications attached thereto, is by reference made a part hereof.

The use of a General Environmental Resource permit does not convey to permittee any property rights or any rights or privileges other than those specified herein, nor relieve the permittee from complying with any law, regulation or requirement affecting the rights of other bodies or agencies. All structures and works installed by permittee hereunder shall remain the property of the permittee.

This permit may be revoked, modified or transferred at any time pursuant to the appropriate provisions of Chapter 373, Florida Statutes:

Activities conducted under this permit are subject to the following conditions:

See conditions on attached Exhibit A, dated March 14, 2014
See conditions on attached Exhibit B, dated March 14, 2014

AUTHORIZED BY: Northwest Florida Water Management District
Division of Resource Regulation

By:  _____

Michael Bateman
Chief, Bureau of Environmental Regulation

Exhibit A
General Conditions for all General Permits
Rule 62-330.405, Florida Administrative Code

62-330.405 General Conditions for All General Permits.

The following general permit conditions are binding upon the permittee and are enforceable under Chapter 373, F.S. These conditions do not apply to the general permit in Section 403.814(12), F.S.

(1) The general permit is valid only for the specific activity indicated. Any deviation from the specified activity and the conditions for undertaking that activity shall constitute a violation of the permit and may subject the permittee to enforcement action and revocation of the permit under Chapter 373, F.S.

(2) This general permit does not eliminate the necessity to obtain any required federal, state, local and special district authorizations prior to the start of any construction, alteration, operation, maintenance, removal or abandonment authorized by this permit.

(3) This general permit does not convey to the permittee or create in the permittee any property right, or any interest in real property, nor does it authorize any entrance upon or activities on property which is not owned or controlled by the permittee, or convey any rights or privileges other than those specified in the general permit.

(4) The general permit does not relieve the permittee from liability and penalties when the permitted activity causes harm or injury to: human health or welfare; animal, plant or aquatic life; or property. It does not allow the permittee to cause pollution that violates state water quality standards.

(5) Section 253.77, F.S., provides that a person may not commence any excavation, construction, or other activity involving the use of state-owned or other lands of the state, the title to which is vested in the Board of Trustees of the Internal Improvement Trust Fund without obtaining the required consent, lease, easement, or other form of authorization authorizing the proposed use. Therefore, the permittee is responsible for obtaining any necessary authorizations from the Board of Trustees prior to commencing activity on state-owned lands.

(6) The authorization to conduct activities under a general permit may be modified, suspended or revoked in accordance with Chapter 120, F.S., and Section 373.429, F.S.

(7) This permit shall not be transferred to a third party except pursuant to Rule 62-330.340, F.A.C. The permittee transferring the general permit shall remain liable for any corrective actions that may be required as a result of any permit violations prior to sale, conveyance, or other transfer of ownership or control of the permitted project, activity, or the real property at which the permitted project or activity is located.

(8) Upon reasonable notice to the permittee, Agency staff with proper identification shall have permission to enter, inspect, sample and test the permitted system to ensure conformity with the plans and specifications approved by the permit.

(9) The permittee shall maintain any permitted project or activity in accordance with the plans submitted to the Agency and authorized in this general permit.

(10) A permittee's right to conduct a specific activity under this general permit is authorized for a duration of five years.

(11) Activities shall be conducted in a manner that does not cause or contribute to violations of state water quality standards. Performance-based erosion and sediment control best management practices shall be implemented and maintained immediately prior to, during, and after construction as needed to stabilize all disturbed areas, including other measures specified in the permit to prevent adverse impacts to the water resources and adjacent lands. Erosion and sediment control measures shall be installed and maintained in accordance with the *State of Florida Erosion and Sediment Control Designer and Reviewer Manual (Florida Department of Environmental Protection and Florida Department of Transportation June 2007)*, available at www.dep.state.fl.us/water/wetlands/docs/erp/FLerosionSedimentManual_6_07.pdf, and the *Florida Stormwater Erosion and Sedimentation Control Inspector's Manual (Florida Department of Environmental Protection, Nonpoint Source Management Section, Tallahassee, Florida, July 2008)*, available at www.dep.state.fl.us/water/nonpoint/docs/erosion/erosion-inspectors-manual.pdf.

(12) Unless otherwise specified in the general permit, temporary vehicular access within wetlands during construction shall be performed using vehicles generating minimum ground pressure to minimize rutting and other

environmental impacts. Within forested wetlands, the permittee shall choose alignments that minimize the destruction of mature wetland trees to the greatest extent practicable. When needed to prevent rutting or soil compaction, access vehicles shall be operated on wooden, composite, metal, or other non-earthen construction mats. In all cases, access in wetlands shall comply with the following:

(a) Access within forested wetlands shall not include the cutting or clearing of any native wetland tree having a diameter 4 inches or greater at breast height;

(b) The maximum width of the construction access area shall be limited to 15 feet;

(c) All mats shall be removed within 72 hours after the work commences; and

(d) Areas disturbed for access shall be restored to natural grades immediately after the maintenance or repair is completed.

(13) Barges or other work vessels used to conduct in-water activities shall be operated in a manner that prevents unauthorized dredging, water quality violations, and damage to submerged aquatic communities.

(14) The construction, alteration, or use of the authorized project shall not adversely impede navigation or create a navigational hazard in the water body.

(15) Except where specifically authorized in a general permit, activities must not:

(a) Impound or obstruct existing water flow, cause adverse impacts to existing surface water storage and conveyance capabilities, or otherwise cause adverse water quantity or flooding impacts to receiving water and adjacent lands;

(b) Cause an adverse impact to the maintenance of surface or ground water levels or surface water flows established pursuant to Section 373.042, F.S., or a Works of the District established pursuant to Section 373.086, F.S.; or

(16) If any prehistoric or historic artifacts, such as pottery or ceramics, stone tools or metal implements, dugout canoes, or any other physical remains that could be associated with Native American cultures, or early colonial or American settlement are encountered at any time within the project site area, work involving subsurface disturbance in the immediate vicinity of such discoveries shall cease. The permittee or other designee shall contact the Florida Department of State, Division of Historical Resources, Compliance and Review Section, at (850) 245-6333 or (800) 847-7278, as well as the appropriate permitting agency office. Such subsurface work shall not resume without verbal or written authorization from the Division of Historical Resources. If unmarked human remains are encountered, all work shall stop immediately and notification shall be provided in accordance with Section 872.05, F.S.

(17) The activity must be capable, based on generally accepted engineering and scientific principles, of being performed and of functioning as proposed, and must comply with any applicable District special basin and geographic area criteria.

(18) The permittee shall comply with the following when performing work within waters accessible to federally- or state-listed aquatic species, such as manatees, marine turtles, smalltooth sawfish, and Gulf sturgeon:

(a) All vessels associated with the project shall operate at "Idle Speed/No Wake" at all times while in the work area and where the draft of the vessels provides less than a four-foot clearance from the bottom. All vessels will follow routes of deep water whenever possible.

(b) All deployed siltation or turbidity barriers shall be properly secured, monitored, and maintained to prevent entanglement or entrapment of listed species.

(c) All in-water activities, including vessel operation, must be shutdown if a listed species comes within 50 feet of the work area. Activities shall not resume until the animal(s) has moved beyond a 50-foot radius of the in-water work, or until 30 minutes elapses since the last sighting within 50 feet. Animals must not be herded away or harassed into leaving. All on-site project personnel are responsible for observing water-related activities for the presence of listed species.

(d) Any listed species that is killed or injured by work associated with activities performed shall be reported immediately to the Florida Fish and Wildlife Conservation Commission (FWC) Hotline at 1(888)404-3922 and ImperiledSpecies@myFWC.com.

(e) Whenever there is a spill or frac-out of drilling fluid into waters accessible to the above species during a directional drilling operation, the FWC shall be notified at imperiledspecies@myfwc.com with details of the event within 24 hours following detection of the spill or frac-out.

(19) The permittee shall hold and save the Agency harmless from any and all damages, claims, or liabilities which may arise by reason of the construction, alteration, operation, maintenance, removal, abandonment or use of any activity authorized by the general permit.

(20) The permittee shall immediately notify the Agency in writing of any submitted information that is discovered to be inaccurate.

Rulemaking Authority 373.026(7), 373.043, 373.118(1), 373.406(5), 373.4131, 373.414(9), 373.4145, 373.418, 403.805(1) FS. Law Implemented 373.044, 373.118(1), 373.129, 373.136, 373.406(5), 373.413, 373.4131, 373.414(9), 373.4145, 373.416, 373.422, 373.423, 373.429, 403.814(1) FS. History--New 10-3-95, Amended 10-1-07, Formerly 62-341.215, Amended 10-1-13.

Exhibit B

General Permit to the Florida Department of Transportation, Counties, and Municipalities for Minor Bridge Alteration, Placement, Replacement, Removal, Maintenance, and Operation Rule 62-330.443, Florida Administrative Code

62-330.443 General Permit to the Florida Department of Transportation, Counties, and Municipalities for Minor Bridge Alteration, Placement, Replacement, Removal, Maintenance, and Operation.

(1) A general permit is granted to the Florida Department of Transportation, counties and municipalities to conduct the activities described below:

(a) The alternation, placement, replacement, removal, modification, or maintenance of bridges and approaches where the combined total of dredging and filling, both temporary and permanent, in wetlands and other surface waters does not exceed 0.50 acre. Placement of bridges shall occur only as part of existing maintained roadways; and

(b) Channel clearing and shaping, not to exceed a combined total of 0.5 acre of dredging and filling in wetlands and other surface waters, to facilitate maximum hydraulic efficiency of the structures detailed in paragraph (a) above, where the spoil material is used on an upland portion of the project or is deposited on a self-contained, upland spoil site. Escape of spoil material or water from the spoil deposition area into wetlands or other surface waters is prohibited.

(2) This general permit shall be subject to the following specific conditions:

(a) No dredging of access or work channels is authorized by this general permit;

(b) Temporary fill roads shall not be constructed waterward of mean high water or ordinary high water;

(c) All fill placed in wetlands, other than fill on which a bridge or approach is constructed, shall be regraded to the original wetland elevations and revegetated with native wetland species endemic to adjoining, undisturbed wetlands, within seven days of completion of construction. Within "clear zones," revegetation shall be with native herbaceous species endemic to adjoining, undisturbed wetlands. During the five-year period following the initial planting or restoration of the site, these areas shall be maintained to ensure planted or naturally recruited native wetland species are surviving and growing, and that the areal coverage of exotic and invasive species constitutes less than 10% areal coverage;

(d) Hydraulic openings of bridges shall be sufficient to prevent downstream scour, increased downstream water velocities, and increased flood elevations on the property of others;

(e) Minimum horizontal and vertical navigational clearances on bridges over navigable waters of the United States shall be established in accordance with procedures outlined in Chapter 2 the U.S. Coast Guard Bridge Administration Manual, COMDTINST M16590.5C, (March 26, 2004), incorporated by reference herein (<http://www.flrules.org/Gateway/reference.asp?No=Ref-03150>), a copy of which may be obtained from the Agency, as described in subsection 62-330.010(5), F.A.C. and in no circumstance shall placement or replacement of a bridge result in a reduction of horizontal and vertical navigational clearances;

(f) Replacement or modification of a bridge that includes changes in the configuration of the bridge and fill areas due to changes in materials, construction techniques, or meeting current construction codes or safety standards are authorized under this permit. Any connecting road expansion or alteration associated with such replacement or modification must be authorized by a separate general or individual permit under Chapter 62-330, F.A.C., as applicable, before the start of construction; and

(g) This general permit does not authorize replacement or modification of bridges or approaches that involve the construction of additional lanes, except that any single-lane bridge may be widened to two travel lanes, provided the bridge widening does not exceed that reasonably necessary to match the existing travel lane alignment of a two-lane road.

Rulemaking Authority 373.026(7), 373.043, 373.118(1), 373.406(5), 373.4131, 373.414(9), 373.418, 403.805(1) FS. Law Implemented 373.118(1), 373.406(5), 373.413, 373.4131, 373.414(9), 373.416, 373.418, 373.419, 403.814(1) FS. History--New 10-3-95, Amended 10-1-07, Formerly 62-341.443, Amended 10-1-13.



NOTICE OF RIGHTS



The following information addresses procedures to be followed if you desire an administrative hearing or other review of agency action.

PETITION FOR FORMAL ADMINISTRATIVE PROCEEDINGS

Any person whose substantial interests are or may be affected by the action described in the enclosed Notice of Agency Action, may petition for an administrative hearing in accordance with the requirements of section 28-106.201, Florida Administrative Code, or may choose to pursue mediation as an alternative remedy under section 120.573, Florida Statutes, before the deadline for filing a petition. Pursuit of mediation will not adversely affect the right to administrative proceedings in the event mediation does not result in a settlement. Petitions for an administrative hearing must be filed with the Agency Clerk of the Northwest Florida Water Management District, 81 Water Management Drive, Havana, Florida 32333-9700 by the deadline specified in the attached cover letter. Failure to file a petition within this time period shall constitute a waiver of any rights such person may have to request an administrative determination (hearing) under section 120.57, Florida Statutes, concerning the subject permit application. Petitions which are not filed in accordance with the above provisions are subject to dismissal.

DISTRICT COURT OF APPEAL

A party who is adversely affected by final agency action on the permit application and who has exhausted available administrative remedies is entitled to judicial review in the District Court of Appeal pursuant to section 120.68, Florida Statutes. Review under section 120.68, Florida Statutes, is initiated by filing a Notice of Appeal in the appropriate District Court of Appeal in accordance with Florida Rule of Appellate Procedure 9.110.

SECTION 28-106.201, FLORIDA ADMINISTRATIVE CODE, INITIATION OF PROCEEDINGS

- (1) Unless otherwise provided by statute, and except for agency enforcement and disciplinary actions that shall be initiated under Rule 28-106.2015, F.A.C., initiation of proceedings shall be made by written petition to the agency responsible for rendering final agency action. The term "petition" includes any document that requests an evidentiary proceeding and asserts the existence of a disputed issue of material fact. Each petition shall be legible and on 8 1/2 by 11 inch white paper. Unless printed, the impression shall be on one side of the paper only and lines shall be double-spaced.
- (2) All petitions filed under these rules shall contain:
 - (a) The name and address of each agency affected and each agency's file or identification number, if known;
 - (b) The name, address, any e-mail address, any facsimile number, and telephone number of the petitioner, if the petitioner is not represented by an attorney or a qualified representative; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests will be affected by the agency determination;
 - (c) A statement of when and how the petitioner received notice of the agency decision;
 - (d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;
 - (e) A concise statement of the ultimate facts alleged, including the specific facts the petitioner contends warrant reversal or modification of the agency's proposed action;
 - (f) A statement of the specific rules or statutes the petitioner contends require reversal or modification of the agency's proposed action, including an explanation of how the alleged facts relate to the specific rules or statutes; and
 - (g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the agency to take with respect to the agency's proposed action.
- (3) Upon receipt of a petition involving disputed issues of material fact, the agency shall grant or deny the petition, and if granted shall, unless otherwise provided by law, refer the matter to the Division of Administrative Hearings with a request that an administrative law judge be assigned to conduct the hearing. The request shall be accompanied by a copy of the petition and a copy of the notice of agency action.

NOTICING PUBLICATION INFORMATION

The District's action regarding the issuance or denial of a permit, a petition or qualification for an exemption only becomes closed to future legal challenges from members of the public ("third parties"), if 1) "third parties" have been properly notified of the District's action regarding the permit or exemption, and 2) no "third party" objects to the District's action within a specific period of time following the notification.

Notification of "third parties" is provided through publication of certain information in a newspaper of general circulation in the county where the proposed activities are to occur. Publication of notice informs "third parties" of their right to have a 21-day time limit in which to file a petition opposing the District's action. However, if no notice to "third parties" is published, there is no time limit to a party's right to challenge the District's action. The District has not published a noticed to "third parties" that it has taken final action on your application. If you want to ensure that the period of time in which a petition opposing the District's action regarding your application is limited to the time frame state above, you may publish, at your own expense, a notice in a newspaper of general circulation. A copy of the Notice of Agency Action the District uses for publication is attached. You may use this format or create your own, as long as the essential information is included.

If you do decide to publish a Notice of Final Agency Action, please provide the District a copy of the Proof of Publication when you receive it. That will provide us notice that action on this permit application is closed after the 21 days following publication.

Notice to the The Star Legal Ads

starads@starfl.com Contact person: Natalie

Please publish the following legal notice one time only on the earliest available date.

This should be an in-column ad and not a display ad.

Fax proof copy to Joy Swanson at

Contact me, Joy Swanson, at 850-330-1505 for payment instructions.

I will need a Proof of Publication.

Notice of Final Agency Action Taken by the
Northwest Florida Water Management District

Notice is given that stormwater permit number 1553 was issued on March 14, 2014, to FDOT District 3 for the installation and extension of culverts located along the approximately 4.1 mile length of State Road 30E between State Road 30A and the St. Joe Bay Buffer Preserve in Gulf County.

The file containing the application for this permit is available for inspection Monday through Friday (except for legal holidays), 8:00 a.m. to 5:00 p.m. at the Northwest Florida Water Management District's ERP Office, Carr Building, Suite 225 3800 Commonwealth Blvd., MS LS225, Tallahassee, FL 32399.

A person whose substantial interests are affected by the District permitting decision may petition for an administrative hearing in accordance with Sections 120.569 and 120.57 F.S., or may choose to pursue mediation as an alternative remedy under Section 120.573, Florida Statutes, and Rules 28-106.111 and 28-106.401-404, Florida Administrative Code. Petitions must comply with the requirements of Florida Administrative Code, Chapter 28-106 and be filed with (received by) the District Clerk located at District Headquarters, 81 Water Management Drive, Havana, FL 32333-4712. Petitions for administrative hearing on the above application must be filed within twenty-one (21) days of publication of this notice or within twenty-six (26) days of the District depositing notice of this intent in the mail for those persons to whom the District mails actual notice. Failure to file a petition within this time period shall constitute a waiver of any right(s) such person(s) may have to request an administrative determination (hearing) under Sections 120.569 and 129.57, F.S., concerning the subject permit. Petitions which are not filed in accordance with the above provisions are subject to dismissal.

Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the District's final action may be different from the position taken by it in this notice of intent. Persons whose substantial interests will be affected by any such final decision of the District on the application have the right to petition to become a party to the proceedings, the accordance with the requirements set forth above.

NWFWMD ERP

Permit Number

1553

Project Name: SR30E from 30A to St. Joe Buffer Gulf Co.

Issue Date:

March 14, 2014

Construction Expiration Date:

March 14, 2019