

**Qualitative Field Assessment Form**

<b>Date:</b> 11/15/2007 <b>Time:</b> 9:30 am <b>Data Collector:</b> David Clayton					
<b>Location:</b> Pedestrian Transect # M1 near photo point 15					
<b>Management Unit:</b> 10					
<b>Nuisance Species:</b> Bahia grass at gate entrance will be sprayed, does not extend into habitat					
<b>Fuel Load:</b> Oak Trees have been thinned, area due to be burned this winter 2008/2009, fuel load high					
<b>Wildlife Observations:</b> Deer tracks					
<b>T &amp; E Species:</b> Large population of Gulf Coast Lupine in sand hill and Smooth Barked St. John's Wort around pond					
<b>Community Description:</b> Sandhill upland adjacent to a solution pond. Sandhill with good diversity and excellent groundcover. Marsh zonation still present, pond dry most of year, center full of dog fennel.					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Agalinis setacea</i>	Threadleaf false foxgloves				X
<i>Amphicarpum muhlenbergianum</i>	Blue maidencane				X
<i>Andropogon glomeratus</i>	Busy blue stem				X
<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass				X
<i>Baptisia lanceolata</i>	Gopher weed				X
<i>Baulduina angustifolia</i>	Coastal plain honeycombhead				X
<i>Bulbostylis ciliatifolia</i>	Cappillary hairsedge				X
<i>Ceanothus microphyllus</i>	Redroot				X
<i>Centella asiatica</i>	Centella				X
<i>Cephalanthus occidentalis</i>	Button bush		X		
<i>Chrysoma pauciflosculosa</i>	Woody Goldenrod				X
<i>Cliftonia monophylla</i>	Black ti ti		X		
<i>Crysopsis scabrella</i>	Goldenaster				X
<i>Cyrilla racemiflora</i>	Titi		X		
<i>Dalea pinatta</i>	Summer farewell				X
<i>Dicanthelium scoparium</i>	Panic grass				X
<i>Dicanthelium</i> spp.	Panic grass				X
<i>Eleocharis</i> sp.	Eleocharis				X
<i>Eriogonum tomentosum</i>	Wild Buckwheat				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Eupatorium mohrii</i>	Eupatorium				X
<i>Euthamia caroliniana</i>	Flat-topped goldenrod				X
<i>Galactia</i> sp.	Milk pea				X
<i>Gaylussacia dumosa</i>	Dwarf huckleberry		X		
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Hypericum crux-andreae</i>	St. Peter's wort				X
<i>Hypericum reductum</i>	Atlantic St. John's wort				X
<i>Hypericum gentinoides</i>	Pineweed				X
<i>Hypericum lissophloeus</i>	Smooth Bark St. John's wort		X		
<i>Hypericum</i> spp.	St. John's wort		X		
<i>Ilex glabra</i>	Gall berry		X		
<i>Ilex myrtifolia</i>	Myrtle leaf holly		X		
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Lachnocaulon anceps</i>	White topped bog buttons				X

					Page 2 of 2
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herbaceous</u>
<i>Licania michauxii</i>	Gopher apple				X
<i>Lupinus diffusus</i>	Sky-blue lupine				X
<i>Lupinus westianus</i>	Gulf Coast Lupine				X
<i>Magnolia virginiana</i>	Silver bay	X			
<i>Myrica cerifera</i>	Wax myrtle		X		
<i>Opuntia humifusa</i>	Pricklypear cactus				X
<i>Panicum dichotimiflorum</i>	Fall panic grass				X
<i>Panicum hemitomon</i>	Maidencane				X
<i>Paspalum notatum</i>	Bahia grass				X
<i>Persea borbonia</i>	Red Bay	X			
<i>Penstemon multiflorus</i>	Many flowered beardtongue				X
<i>Polygonella gracillis</i>	Wire weed				X
<i>Pinus clausa</i>	Sand Pine	X			
<i>Pinus elliotii</i>	Slash pine	X			
<i>Pinus palustris</i>	Longleaf pine	X			
<i>Pityopsis graminifolia</i>	Golden Aster				X
<i>Polygonella gracilis</i>	Wireweed				X
<i>Quercus geminata</i>	Sand Live Oak	X			
<i>Quercus hemispherica</i>	Diamond oak	X			
<i>Quercus incana</i>	Blue jack oak	X			
<i>Quercus laevis</i>	Turkey oak	X			
<i>Quercus virginiana</i>	Live Oak	X			
<i>Rhexia mariana</i>	Pale meadow beauty				X
<i>Rhus copallinum</i>	Sumac		X		
<i>Rubus cuneifolius</i>	Sand blackberry		X		
<i>Serenoa repens</i>	Saw Palmetto		X		
<i>Scoparia dulcis</i>	Sweet Broom				X
<i>Smilax sp.</i>	Catbriar			X	
<i>Stylisma patens</i>	Coastal plain dawnflower				X
<i>Utricularia floridana</i>	Bladderwort				X
<i>Vaccinium corymbosum</i>	High bush blueberry		X		
<i>Vaccinium myrsinites</i>	Shiny blue berry		X		
<i>Viburnum obovatum</i>	Walter's viburnum		X		
<i>Vitis rotundifolia</i>	Muscadine			X	
<i>Xyris sp.</i>	Yellow-eyed grass				X
<i>Yucca filamentosa</i>	Adam's needle				X

\*\*\* Present in initial survey but not observed, \*\* New observation, \* Nuisance Exotic Species

Pedestrian Transect: Upland Sand Hill with oak eradication: Note: Gulf Coast Lupine in upper left photo



Marsh showing in background and gulf coast lupine (threatened) in foreground

**Qualitative Field Assessment Form**

<b>Date:</b> 11/15//2007 <b>Time:</b> 5:00 pm <b>Data Collector:</b> David Clayton					
<b>Location:</b> Pedestrian Transect # M2 near photo point 3					
<b>Management Unit:</b> 10					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Fuel load moderate					
Wildlife Observations: <b>Deer, turkey and raccoon tracks, cardinal</b>					
<b>T &amp; E Species:</b> None					
<b>Community Description:</b> Sandhill upland overgrown with live and turkey oaks...good wiregrass cover, but allot of shade. Lots of deer moss on ground, a very dry site that grades down towards Pine Log Creek.					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Aster pilosus</i>	Frost aster				X
<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass				X
<i>Balduina angustifolia</i>	Coastalplain honeycombhead				X
<i>Baptisia lanceolata</i>	Gopher weed				X
<i>Bulbostylis ciliatifolia</i>	Capillary hairsedge				X
<i>Chrysoma pauciflosculosa</i>	Woody Goldenrod				X
<i>Dichanthelium</i> sp.	Witch grass				X
<i>Diospyros virginiana</i>	Persimmon	X			
<i>Galactia</i> sp.	Milk pea				X
<i>Eriogonum tomentosum</i>	Wild Buckwheat				X
<i>Eupatorium compositifolium</i>	Yankeeweed				X
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Hypericum crux-andreae</i>	St. Peter's-wort				X
<i>Ilex opaca</i>	American holly	X			
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Liatris gracilis</i>	Slender gayfeather				X
<i>Liatris pauciflora</i>	Fewflower gayfeather				X
<i>Licania michauxii</i>	Gopher apple				X
<i>Opuntia humifusa</i>	Prickypear cactus				X
<i>Penstemon multiflorus</i>	Manyflowered beardstongue				X
<i>Photinia pyrifolia</i>	Red chokeberry		X		
<i>Pinus clausa</i>	Sand pine	X			
<i>Pinus palustris</i>	Long leaf pine	X			
<i>Pityopsis graminifolia</i>	Golden Aster				X
<i>Polygonella gracilis</i>	Wire weed				X
<i>Quercus incana</i>	Blue jack oak	X			
<i>Quercus hemisphaerica</i>	Diamond oak	X			
<i>Quercus laevis</i>	Turkey oak	X			
<i>Quercus virginiana</i>	Live oak	X			
<i>Rhexia mariana</i>	Pale meadow beauty				X
<i>Rubus cuneifolius</i>	Sand blackberry				X
<i>Scleria</i> sp.	Scleria				X
<i>Serenoa repens</i>	Saw-palmetto		X		
<i>Smilax</i> sp.	Catbriar			X	
<i>Solidago fistulosa</i>	Pinebarren goldenrod				X
<i>Sorghastrum secundum</i>	Lopsided Indiangrass				X
<i>Stylisma patens</i>	Coastalplain dawnflower				X

<b>Scientific Name</b>	<b>Common Name</b>	<b>Tree</b>	<b>Shrub</b>	<b>Vine</b>	<b>Herb</b>
<i>Vaccinium arboreum</i>	Farkleberry		X		
<i>Vaccinium corymbosum</i>	Highbush blueberry		X		
<i>Vaccinium darrowii</i>	Darrow's blueberry		X		
<i>Vitis rotundifolia</i>	Wild muscadine grape			X	
<i>Yucca filamentosa</i>	Adam's needle				X

\*\*\* New observation \*\* Not observed in 2007



M2: Oaks with good wiregrass cover



M2 Sandhill, oaks and wiregrass

**Qualitative Field Assessment Form**

<b>Date:</b> 11/15/2007 <b>Time:</b> 4:30 pm <b>Data Collector:</b> David Clayton					
<b>Location:</b> Pedestrian Transect # M3 near photo point 2					
<b>Management Unit:</b> 12					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Fuel load high due to thinned oaks... will be burned in the winter of 2006/2007					
Wildlife Observations: none					
<b>T &amp; E Species:</b> Southern crab apple					
<b>Community Description:</b> Sandhill upland sloping down into the seepage area associated with Cat pond. Excellent diversity and groundcover. Wire grass bloomed this summer...area planted with long leaf pine					
<b>Scientific Name</b>	<b>Common Name</b>	<b>Tree</b>	<b>Shrub</b>	<b>Vine</b>	<b>Herb</b>
<i>Agalinis setacea</i>	Threadleaf false foxgloves				X
<i>Andropogon glomeratus</i>	Busy blue stem				X
<i>Andropogon gyrans</i>	Elliot's blue stem				X
<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass				X
<i>Asclepias cinerea</i>	Carolina milkweed				X
<i>Asclepias humistrata</i>	Pinewoods milkweed				X
<i>Baptisia lanceolata</i>	Gopher weed				X
<i>Carphephorus odoratissimus</i>	Vanilla leaf				X
<i>Chrysoma pauciflosculosa</i>	Woody Goldenrod				X
<i>Dichanthelium</i> sp.	Witch grass				X
<i>Eriogonum tomentosum</i>	Wild Buckwheat				X
<i>Gaylussacia dumosa</i>	Dwarf huckleberry		X		
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Hieracium gronovii</i>	Hawkweed				X
<i>Hypericum gentianoides</i>	Pineweed				X
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Liatris gracilis</i>	Slender gayfeather				X
<i>Liatris pauciflora</i>	Few flowered gayfeather				X
<i>Licania michauxii</i>	Gopher apple				X
<i>Lupinus diffusus</i>	Skyblue lupine				X
<i>Magnolia grandiflora</i>	Southern magnolia	X			
<i>Malus angustifolia</i>	Southern crabapple	X			
<i>Polygonella gracillis</i>	Wire weed				X
<i>Pinus elliotii</i>	Slash pine	X			
<i>Pinus palustris</i>	Long leaf pine	X			
<i>Pityopsis graminifolia</i>	Golden Aster				X
<i>Polygonella gracilis</i>	Wireweed				X
<i>Pteridium aquilinum</i>	Bracken fern				X
<i>Quercus laevis</i>	Turkey oak	X			
<i>Quercus margaretta</i>	Sand post oak	X			
<i>Quercus virginiana</i>	Live oak	X			
<i>Rhexia mariana</i>	Pale meadow beauty				X
<i>Smilax</i> sp.	Catbriar			X	
<i>Tradescantia hirsutiflora</i>	Hairyflower spiderwort				X
<i>Yucca filamentosa</i>	Adam's needle				X

Pedestrian Transect M3: Cat pond and surrounding uplands





M3: Upland with good wiregrass cover



**Qualitative Field Assessment Form**

<b>Date:</b> 11/15/2007 <b>Time:</b> 4:00 pm <b>Data Collector:</b> David Clayton					
<b>Location:</b> Pedestrian Transect # M4 near photo point 4					
<b>Management Unit:</b> 12					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> burned last winter, good wire grass response really starting to look good.					
Wildlife Observations: rabbit and raccoon tracks, active gopher tortoise burrow					
<b>T &amp; E Species:</b> None observed					
<b>Community Description:</b> Sandhill upland sloping down into the seepage area associated with Little Deep Edge pond. Excellent diversity and groundcover.					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Agalinis setacea</i>	Threadleaf false foxgloves				X
<i>Andropogon glomeratus</i>	Busy blue stem				X
<i>Andropogon gyrans</i>	Elliot's blue stem				X
<i>Andropogon virginicus</i>	Broomsedge				X
<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass				X
<i>Asimina angustifolia</i>	Slimleaf pawpaw		X		
<i>Aster pilosus</i>	Frost aster				X
<i>Aster wateri</i>	Walter's aster				X
<i>Balduina angustifolia</i>	Coastalplain honeycombhead				X
<i>Baptisia lanceolata</i>	Gopher weed				X
<i>Bulbostylis capillaris</i>	Capillary hairsedge				X
<i>Carphephorus corymbosum</i>	Coastplain chaffhead				X
<i>Carphephorus odoratissimus</i>	Vanilla leaf				X
<i>Ceanothus microphyllus</i>	Littleleaf buckrush				X
<i>Croton argyranthemus</i>	Silver croton				X
<i>Chrysoma pauciflorescens</i>	Woody Goldenrod				X
<i>Crysopsis scabrella</i>	Goldenaster				X
<i>Cyperus</i> sp.	Cyperus				X
<i>Dalea pinatta</i>	Summer farewell				X
<i>Dicanthelium</i> spp.	Witch grass				X
<i>Digitaria filiformis</i>	Slender crabgrass				X
<i>Diospyros virginiana</i>	Persimon	X			
<i>Elephantopus carolinianus</i>	Elephant's foot				X
<i>Eremochloa ophiuroides</i>	Centipede grass				X
<i>Eriogonum tomentosum</i>	Wild Buckwheat				X
<i>Eryngium yuccifolium</i>	Rattlesnake master				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Eupatorium hyssopifolium</i> var. <i>laciniatum</i>	Hyssopleaf thoroughwort				X
<i>Eupatorium leucolepis</i>	Justiceweed				X
<i>Eupatorium serotinum</i>	Late thoroughwort				X
<i>Galactia volubilis</i>	Milkpea				X
<i>Gaura filipes</i>	Slenderstalk beeblossom				X
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Haplopappus divaricatus</i>	Scratch daisy				X
<i>Hieracium gronovii</i>	Hawkweed				X

<b>Scientific Name</b>	<b>Common Name</b>	<b>Tree</b>	<b>Shrub</b>	<b>Vine</b>	<b>Herb</b>
<i>Helianthus radula</i>	Rayless sunflower				X
<i>Hypericum crux-andreae</i>	St. Peter's wort				X
<i>Hypericum gentianoides</i>	Pineweed				X
<i>Ilex glabra</i>	Gall berry		X		
<i>Gaylussacia dumosa</i>	Dwarf huckleberry		X		
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Liatis gracilis</i>	Slender gayfeather				X
<i>Liatis pauciflora</i>	Few flowered gayfeather				X
<i>Licania michauxii</i>	Gopher apple				X
<i>Lobelia glandulosa</i>	Glade lobelia				X
<i>Lupinus diffusus</i>	Skyblue lupine				X
<i>Opuntia humifusa</i>	Pricklypear cactus				X
<i>Osmanthus americanus</i>	Wild olive		X		
<i>Paronychia rugelii</i>	Sand-squares				X
<i>Penstemon multiflorus</i>	Penstemon				X
<i>Polygonella gracilis</i>	Wire weed				X
<i>Pinus elliotii</i>	Slash pine	X			
<i>Pinus palustris</i>	Long leaf pine	X			
<i>Pityopsis graminifolia</i>	Golden Aster				X
<i>Polygonella gracilis</i>	Wireweed				X
<i>Pteridium aquilinum</i>	Bracken fern				X
<i>Pterocaulon virgatum</i>	Blackroot				X
<i>Quercus elliotii</i>	Runner oak		X		
<i>Quercus hemisphaerica</i>	Diamond oak	X			
<i>Quercus incana</i>	Blue jack oak	X			
<i>Quercus laevis</i>	Turkey oak	X			
<i>Quercus margaretta</i>	Sand post oak	X			
<i>Quercus virginiana</i>	Live oak	X			
<i>Rhexia mariana</i>	Pale meadow beauty				X
<i>Rhus copallinum</i>	Winged sumac		X		
<i>Rubus cuneifolius</i>	Sand blackberry		X		
<i>Scleria sp.</i>	Scleria				X
<i>Serenoa repens</i>	Saw palmetto		X		
<i>Solidago fistulosa</i>	Pinebarrens goldenrod				X
<i>Solidago stricta</i>	Wand goldenrod				X
<i>Seymeria cassioides</i>	Senna seymaria				X
<i>Smilax sp.</i>	Catbriar			X	
<i>Sporobolus junceus</i>	Pineywoods dropseed				X
<i>Stillingia sylvatica</i>	Queen's delight				X
<i>Stylisma patens</i>	Coastalplain dawnflower				X
<i>Trichostema setaceum</i>	Forked blue curls				X
<i>Vaccinium arboreum</i>	Sparkle berry		X		
<i>Vaccinium corymbosum</i>	High bush blueberry		X		
<i>Vaccinium myrsinites</i>	Shiny blue berry		X		
<i>Stylodon carneus</i>	Stylodon				X
<i>Viola sororia</i>	Common blue violet				X
<i>Vitis rotundifolia</i>	Muscadine			X	
<i>Woodwardia virginica</i>	Virginia chain fern				X
<i>Xyris sp.</i>	Yellow-eyed grass				X
<i>Yucca filamentosa</i>	Adam's needle				X

\*\* New Observation, \* Not observed in 2007

Pedestrian Transect M4: Upland Sand Hill: Note: Wiregrass



## Qualitative Field Assessment Form

<b>Date:</b> 11/15/2007		<b>Time:</b> 5:30 pm		<b>Data Collector:</b> David Clayton	
<b>Location:</b> Pedestrian Transect # M5 near photo point 1					
<b>Management Unit:</b> 11					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Slash Pine harvested, will be burned this winter					
Wildlife Observations: squirrel					
<b>T &amp; E Species:</b> None observed					
<b>Community Description:</b> Wire grass bloomed this summer...slash pine harvested.					
Scientific Name	Common Name	Tree	Shrub	Vine	Herb
<i>Agalinis setacea</i>	Threadleaf false foxgloves				X
<i>Andropogon glomeratus</i>	Busy blue stem				X
<i>Andropogon gyrans</i>	Elliot's blue stem				X
<i>Andropogon virginicus</i>	Broom sedge				X
<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass				X
<i>Asimina angustifolia</i>	Slimleaf pawpaw		X		
<i>Aster pilosus</i>	Frost aster				X
<i>Aster wateri</i>	Walter's aster				X
<i>Baptisia lanceolata</i>	Gopher weed				X
<i>Berlandiera pumila</i>	Green eyes				X
<i>Carphephorus odoratissimus</i>	Vanilla leaf				X
<i>Ceanothus microphyllus</i>	Littleleaf buckrush				X
<i>Croton argyranthemus</i>	Silver croton				X
<i>Chrysoma pauciflorescens</i>	Woody Goldenrod				X
<i>Crysopsis scabrella</i>	Goldenaster				X
<i>Dalea pinatta</i>	Summer farewell				X
<i>Dicanthelium</i> spp.	Panic grass				X
<i>Digitaria filiformis</i>	Slender crabgrass				X
<i>Diospyros virginiana</i>	Persimon	X			
<i>Elephantopus carolinianus</i>	Elephant's foot				X
<i>Eremochloa ophiuroides</i>	Centipede grass				X
<i>Eriogonum tomentosum</i>	Wild Buckwheat				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Eupatorium serotinum</i>	Late thoroughwort				X
<i>Galactia volubilis</i>	Milkpea				X
<i>Gaylussacia dumosa</i>	Dwarf huckleberry		X		
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Gomphrena serrata</i>	Globe amaranth				X
<i>Hieracium gronovii</i>	Hawkweed				X
<i>Hypericum crux-andreae</i>	St. Peter's wort				X
<i>Ilex glabra</i>	Gall berry		X		
<i>Ilex opaca</i>	American holly	X			
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Liatis gracilis</i>	Slender gayfeather				X
<i>Liatis pauciflora</i>	Few flowered gayfeather				X
<i>Licania michauxii</i>	Gopher apple				X
<i>Opuntia humifusa</i>	Pricklypear cactus				X
<i>Penstemon multiflorus</i>	Penstemon				X

<b>Scientific Name</b>	<b>Common Name</b>	<b>Tree</b>	<b>Shrub</b>	<b>Vine</b>	<b>Herb</b>
<i>Pinus elliotii</i>	Slash pine	X			
<i>Pityopsis graminifolia</i>	Golden Aster				X
<i>Polygonella gracilis</i>	Wireweed				X
<i>Pterocaulon pycnostachyum</i>	Black root				X
<i>Quercus hemispherica</i>	Diamond oak	X			
<i>Quercus incana</i>	Blue jack oak	X			
<i>Quercus laevis</i>	Turkey oak	X			
<i>Quercus margaretta</i>	Sand post oak	X			
<i>Rhus copallinum</i>	Winged sumac		X		
<i>Rubus cuneifolius</i>	Sand blackberry		X		
<i>Rumex hastatulus</i>	Heartwing dock				X
<i>Schrankia microphylla</i>	Sensitive briar			X	
<i>Solidago fistulosa</i>	Pinebarrens goldenrod				X
<i>Seymeria cassioides</i>	Senna seymaria				X
<i>Smilax sp.</i>	Catbriar			X	
<i>Stillingia sylvatica</i>	Queen's delight				X
<i>Trichostema setaceum</i>	Forked blue curls				X
<i>Vaccinium arboreum</i>	Sparkle berry		X		
<i>Vaccinium corymbosum</i>	High bush blueberry		X		
<i>Vaccinium myrsinites</i>	Shiny blue berry		X		
<i>Yucca filamentosa</i>	Adam's needle				X

\*\* New observation, \* Not seen in 2007

Pedestrian Transect M5: Note: Planted slash pine stand harvested



## Qualitative Field Assessment Form

Page 1 of 2

<b>Date:</b> 11/16/07 <b>Time:</b> 9:00 Am <b>Data Collector:</b> David Clayton					
<b>Location:</b> Pedestrian Transect # M6					
<b>Management Unit:</b> 14					
<b>Nuisance Species:</b> none					
<b>Fuel Load:</b> Low					
<b>Wildlife Observations:</b> snipe, mourning dove					
<b>T &amp; E Species:</b> Smooth barked St. John's wort around the edge of pond					
<b>Community Description:</b> Edge dominated by slash pine and shrubs with some black gun and cypress. Pond has dried down and dominated by dog fennel, Rhynchospora and Eleocharis. Most species appear healthy though some have died from drought					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Andropogon glomeratus</i>	Bushy blue stem				X
<i>Andropogon virginicus</i>	Broomsedge				X
<i>Bidens mitis</i>	Bur marsh marigold				X
<i>Brasenia schreberi</i>	Water shield				X
<i>Centella asiatica</i>	Centella				X
<i>Cephalanthus occidentalis</i>	Button bush		X		
<i>Cliftonia monophylla</i>	Black ti ti		X		
<i>Cyrilla racemiflora</i>	Red ti ti		X		
<i>Dicanthelium spp.</i>	Witch grass				X
<i>Eleocharis sp.</i>	Eleocharis				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Hypericum lissophloeus</i>	Smooth barked St. John's wort		X		
<i>Hypericum spp.</i>	St. John's wort		X		
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Lachnanthese caroliniana</i>	Red root				X
<i>Lachnocaulon anceps</i>	White topped bog buttons				X
<i>Lycopus rubellus</i>	Water horehound				X
<i>Numphar advena</i>	Spatterdock				X
<i>Nymphaea odorata</i>	Fragrant water lily				X
<i>Nyssa sylvatica</i>	Black gun	X			
<i>Panicum dichotimiflorum</i>	Fall panic grass				X
<i>Panicum hemitomon</i>	Maidencane				X
<i>Panicum repens</i>	Torpedo grass				X
<i>Persea palustris</i>	Swam bay	X			
<i>Pinus elliotii</i>	Slash Pine	X			
<i>Pontederia cordata</i>	Pickerel weed				X
<i>Quercus hemisphaerica</i>	Diamond Oak	X			
<i>Rhexia mariana</i>	Pale meadow beauty				X
<i>Rynchospora inundata</i>	Horned beakrush				X
<i>Sacciolepis striata</i>	American cupscale				X
<i>Sagittaria latifolia</i>	Duck potato				X
<i>Smilax sp.</i>	Catbriar			X	
<i>Taxodium ascendens</i>	Cypress	X			
<i>Triadenum virginicum</i>	Marsh St. John's wort				X
<i>Utricularia floridana</i>	Bladderwort				X
<i>Vaccinium corymbosum</i>	High bush blue berry		X		
<i>Xyris sp.</i>	Yellow-eyed grass				X

\*\* New Observation, \* Not observed in 2007



Pedestrian Transect M6: Note: Garret Pond dry



## Qualitative Field Assessment Form

Page 1 of 2

<b>Date:</b> 11/16/2007		<b>Time:</b> 8:00 am		<b>Data Collector:</b> David Clayton	
<b>Location:</b> Pedestrian Transect # M7					
<b>Management Unit:</b> 4					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Low					
Wildlife Observations: Sandhill cranes, raccoon, deer and hog tracks, great egret and little blue heron					
<b>T &amp; E Species:</b> Hypericum lissophloeus (Smooth barked St. John's wort, water sundew)					
<b>Community Description:</b> Little water left due to drought. Few floating mats of yellow eyed grass, sphagnum, and bur marsh marigold. Dominated by cypress with some black gum. Most species appear healthy though some lost to drought					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Andropogon glomeratus</i>	Bushy blue stem				X
<i>Bidens mitis</i>	Bur marsh marigold				X
<i>Centella asiatica</i>	Centella				X
<i>Cephalanthus occidentalis</i>	Button bush		X		
<i>Cliftonia monophylla</i>	Black ti ti		X		
<i>Cyrilla racemiflora</i>	Red ti ti		X		
<i>Dicanthelium spp.</i>	Panic grass				X
<i>Drosera intermedia</i>	Water sundew				X
<i>Eleocharis sp.</i>	Eleocharis				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Hypericum lissophloeus</i>	Smooth barked St. John's wort		X		
<i>Hypericum spp.</i>	St. John's wort		X		
<i>Ilex glabra</i>	Gall berry		X		
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Lachnanthese caroliniana</i>	Red root				X
<i>Lachnocaulon anceps</i>	White topped bog buttons				X
<i>Lycopus rubellus</i>	Water horehound				X
<i>Numphar advena</i>	Spatterdock				X
<i>Nymphaea odorata</i>	Fragrant water lily				X
<i>Nyssa sylvatica</i>	Black gum	X			
<i>Panicum dichotimiflorum</i>	Fall panic grass				X
<i>Panicum hemitomon</i>	Maidencane				X
<i>Persea palustris</i>	Swam bay	X			
<i>Pinus elliotii</i>	Slash Pine	X			
<i>Pontederia cordata</i>	Pickerel weed				X
<i>Quercus hemisphaerica</i>	Diamond Oak	X			
<i>Rhexia alifanus</i>	Savannah meadow beauty				X
<i>Rhexia mariana</i>	Pale meadow beauty				X
<i>Rhynchospora inundata</i>	Horned beaksedge				X
<i>Rhynchospora microcephalla</i>	Bunched beaksedge				X
<i>Sagittaria latifolia</i>	Duck potato				X
<i>Smilax sp.</i>	Catbriar			X	
<i>Taxodium ascendens</i>	Cypress	X			
<i>Triadenum virginicum</i>	Marsh St. John's wort				X
<i>Utricularia cornuta</i>	Horned wort				X
<i>Utricularia floridana</i>	Bladderwort				X
<i>Vaccinium corymbosum</i>	High bush blue berry		X		
<i>Xyris sp.</i>	Yellow-eyed grass				X

\*\* New observation, \* Not observed in 2007

Pedestrian Transect M7: Note: floating mats





## Qualitative Field Assessment Form

<b>Date:</b> 11/16/2007		<b>Time:</b> 11 am		<b>Data Collector:</b> David Clayton	
<b>Location:</b> Pedestrian Transect # M8					
<b>Management Unit:</b> I and II					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Low					
<b>Wildlife Observations:</b> Titmouse, wood duck, pied billed grebe					
<b>T &amp; E Species:</b> None					
<b>Community Description:</b> Swamp dominated by pond cypress with a fringe of black gum...little water present due to drought. Trees healthy, numerous cypress seedlings. Some herbaceous plants have died from lack of water. Most species appear healthy					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Andropogon glomeratus</i>	Bushy bluestem				X
<i>Bidens mitis</i>	Bur marsh marigold				X
<i>Brasenia schreberi</i>	Water shield				X
<i>Callicarpa americana</i>	Beauty berry		X		
<i>Campsis radicans</i>	Trumpet vine			X	
<i>Centella asiatica</i>	Centella				X
<i>Clethra alniflora</i>	Sweet pepperbush		X		
<i>Cephalanthus occidentalis</i>	Button bush		X		
<i>Cliftonia monophylla</i>	Black ti ti		X		
<i>Cyrilla racemiflora</i>	Red ti ti		X		
<i>Dicanthelium spp.</i>	Panic grass				X
<i>Eleocharis sp.</i>	Eleocharis				X
<i>Erianthus giganteus</i>	Giant plume grass				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Hypericum spp.</i>	St. John's wort		X		
<i>Ilex myrtifolia</i>	Myrtle leaf holly		X		
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Itea virginica</i>	Virginia willow		X		
<i>Lachnanthese caroliniana</i>	Red root				X
<i>Lachnocaulon anceps</i>	White topped bog buttons				X
<i>Lycopus rubellus</i>	Taper leaf waterhorehound				X
<i>Magnolia virginiana</i>	Silver bay	X			
<i>Myrica cerifera</i>	Wax myrtle		X		
<i>Numphar advena</i>	Spatterdock				X
<i>Nymphaea odorata</i>	Fragrant water lily				X
<i>Nyssa sylvatica</i>	Black gun	X			
<i>Panicum dichotimiflorum</i>	Fall panic grass				X
<i>Panicum hemitomon</i>	Maidencane				X
<i>Persea palustris</i>	Swam bay	X			
<i>Pinus taeda</i>	Loblolly pine	X			
<i>Pontederia cordata</i>	Pickereel weed				X
<i>Rhexia mariana</i>	Pale meadowbeauty				X
<i>Rynchospora inundata</i>	Horned beakrush				X
<i>Sagittaria latifolia</i>	Duck potato				X
<i>Smilax sp.</i>	Catbriar			X	
<i>Taxodium ascendens</i>	Cypress	X			
<i>Triadenum virginicum</i>	Marsh St. John's wort				X
<i>Utricularia floridana</i>	Bladderwort				X

<b>Scientific Name</b>	<b>Common Name</b>	<b>Tree</b>	<b>Shrub</b>	<b>Vine</b>	<b>Herb</b>
<i>Vaccinium corymbosum</i>	High bush blueberry		X		
<i>Woodwardia aerolata</i>	Netted chain fern				X
<i>Xyris sp.</i>	Yellow-eyed grass				X

\*\* New Observation, \* Not seen in 2007

Pedestrian Transect M8: Note: pond mostly dry





## Qualitative Field Assessment Form

Page 1 of 2

<b>Date:</b> 11/16/2007		<b>Time:</b> 4 pm		<b>Data Collector:</b> David Clayton	
<b>Location:</b> Pedestrian Transect # M9					
<b>Management Unit:</b> 1					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Low					
<b>Wildlife Observations:</b> Alligator great blue heron, anole, blue jay					
<b>T &amp; E Species:</b> None					
<b>Community Description:</b> Green ponds: dominated by pond cypress... Most trees healthy, numerous cypress seedlings of 1 to several yeas of age. Some herbaceous plants such as pickerel weed brown from lack of water.					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Andropogon glomeratus</i>	Bushy bluestem				X
<i>Bidens mitis</i>	Bur marsh marigold				X
<i>Brasenia schreberi</i>	Water shield				X
<i>Carex glaucescens</i>	Clustered Sedge				X
<i>Centella asiatica</i>	Centella				X
<i>Cephalanthus occidentalis</i>	Button bush		X		
<i>Cliftonia monophylla</i>	Black ti ti		X		
<i>Cyperus sp.</i>	Sedge				X
<i>Cyrilla racemiflora</i>	Titi		X		
<i>Dichanthelium sp.</i>	Witch grass				X
<i>Eleocharis inundata</i>	Spikerush				X
<i>Eleocharis sp.</i>	Eleocharis				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Gelsemium sempervirens</i>	Florida jasmine			X	
<i>Hypericum sp.</i>	St. John's wort		X		
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Ilex myrtifolia</i>	Myrtle leaf holly		X		
<i>Itea virginica</i>	Virginia willow		X		
<i>Lachnanthese caroliniana</i>	Red root				X
<i>Liquidambar styraciflua</i>	Sweet gum	X			
<i>Lycopodium alopecuroides</i>	Foxtail club-moss				X
<i>Lycopus rubellus</i>	Water horehound				X
<i>Magnolia virginiana</i>	Silver bay	X			
<i>Myrica cerifera</i>	Wax myrtle		X		
<i>Numphar advena</i>	Spatterdock				X
<i>Nymphaea odorata</i>	Fragrant water lily				X
<i>Panicum hemitomon</i>	Maidencane				X
<i>Panicum repens</i>	Torpedo grass				X
<i>Persea palustris</i>	Swamp Bay	X			
<i>Pluchea odorata</i>	Sweetscent				X
<i>Pontederia cordata</i>	Pickerel weed				X
<i>Rhexia alifanus</i>	Savannah meadowbeauty				X
<i>Rynchospora inundata</i>	Horned beakrush				X
<i>Rynchospora microcephala</i>	Small headed beakrush				X
<i>Sacciolepis striata</i>	American cupscale				X
<i>Sagittaria latifolia</i>	Duck potato				X
<i>Taxodium ascendens</i>	Cypress	X			
<i>Utricularia floridana</i>	Bladderwort				X
<i>Xyris sp.</i>	Yellow-eyed grass				X

\*\* New Observation, not observed in 2007



Pedestrian Transect: Green Ponds: Note: sunken wooden boat



Can you find the Alligator?



Most looks like this (dry)



## Qualitative Field Assessment Form

Page 1 of 2

<b>Date:</b> 10/282006 <b>Time:</b> 11:30 am <b>Data Collector:</b> David Clayton					
<b>Location:</b> Pedestrian: M10 near photo point 8					
<b>Management Unit:</b> 1 Due to species composition, analyzed under hydric pine flatwoods, Management Unit 2					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Moderate					
<b>Wildlife Observations:</b> Wild pig tracks, black vulture, kingfisher, phoebe, anole and cardinal					
<b>T &amp; E Species:</b>					
<b>Community Description:</b> Overstory dominated by black ti ti, slash pine and red bay, understory composed of a wide variety of shrub and herbs...burned last year, good re-growth.					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Acer rubrum</i>	Red maple	X			
<i>Arundinaria gigantea</i>	Switchcane				X
<i>Callicarpa americana</i>	American beautyberry		X		
<i>Clethra alnifolia</i>	Sweet pepperbush		X		
<i>Cliftonia monophylla</i>	Black ti ti		X		
<i>Cyrilla racemiflora</i>	Red ti ti		X		
<i>Cuscuta gronovii</i>	Scaldweed dodder			X	
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Gordonia lasianthus</i>	Loblolly bay	X			
<i>Hypericum crux-andreae</i>	St. John's wort				X
<i>Ilex coriacea</i>	Big gallberry		X		
<i>Ilex glabra</i>	Gallberry		X		
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Kalmia hirsuta</i>	Wicki		X		
<i>Lachnanthes caroliniana</i>	Redroot				X
<i>Leucothoe racemosa</i>	Dog hobble		X		
<i>Lycopus rubellus</i>	Waterhorehound				X
<i>Lyonia lucida</i>	Fetterbush		X		
<i>Myrica caroliniensis</i>	Evergreen bayberry		X		
<i>Osmunda regalis</i>	Royal fern				X
<i>Oxydendrom areboreum</i>	Sourwood	X			
<i>Persea borbonia</i>	Red bay	X			
<i>Pinus elliotii</i>	Slash pine	X			
<i>Pteridium aquilinum</i>	Brachen fern				X
<i>Quercus hemisphaerica</i>	Diamond oak	X			
<i>Quercus nigra</i>	Water oak	X			
<i>Quercus virginiana</i>	Live oak	X			
<i>Rhododendron viscosum</i>	Swamp honeysuckle		X		
<i>Rhus copallinum</i>	Winged sumac		X		
<i>Rubus argutus</i>	Black berry		X		
<i>Serenoa repens</i>	Saw-palmetto		X		
<i>Smilax laurifolia</i>	Catbriar			X	
<i>Smilax sp.</i>	Catbriar			X	
<i>Taxodium ascendens</i>	Cypress	X			
<i>Toxicodendron vernix</i>	Poison sumac		X		
<i>Vaccinium corymbosum</i>	High bush blueberry		X		
<i>Vaccinium myrsinites</i>	Shiny blueberry		X		
<i>Viburnum rufidulum</i>	Rusty black haw		X		
<i>Vitis rotundifolia</i>	Wild muscadine grape			X	
<i>Woodwardia aerolata</i>	Netted chain fern				X

\* New observation

Pedestrian Transect M10: Loblolly Bays



Gyrotracked Shrub area



## Qualitative Field Assessment Form

Page 1 of 2

<b>Date:</b> 10/25/2006 <b>Time:</b> 11:30 am <b>Data Collector:</b> David Clayton <b>Location:</b> Pedestrian Transect # M11 and Photo point 12 moved to represent wet flatwoods habitat. Original transect and photopoint were too upslope in an upland oak habitat. Transect and photopoint moved to overgrown wetland dominated by shrubs but had remnant long leaf pine used for turpentine. The area was gyrotracked during the late spring and summer. This reflects baseline vegetation for the new transect and photo point. Intensive management will be used to return to wet flatwoods. <b>Management Unit:</b> 2					
<b>Nuisance Species:</b> None observed <b>Fuel Load:</b> medium, low area gyrotracked earlier this year and burned					
<b>Wildlife Observations:</b> Robin					
<b>T&amp; E Species:</b> none					
<b>Community Description:</b> Degraded wet flatwoods overgrown by shrubs grading into a hardwood swamp. Area gyrotracked during the spring. Area has minimal black titi and has an excellent chance of recovery to wet flatwoods.					
Scientific Name	Common Name	Tree	Shrub	Vine	Herb
<i>Andropogon glomeratus</i>	Busy blue stem				X
<i>Clethra alnifolia</i>	Sweet pepper bush				X
<i>Cliftonia monophylla</i>	Black ti ti		X		
<i>Dicanthelium spp.</i>	Witch grass				X
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Ilex coriacea</i>	Large gall berry		X		
<i>Ilex glabra</i>	Gall berry		X		
<i>Ilex myrtifolia</i>	Myrtle-leaved holly		X		
<i>Lachnanthes caroliana</i>	Red root				X
<i>Lyonia lucida</i>	Fetter bush		X		
<i>Magnolia virginiana</i>	Silver bay	X			
<i>Myrica cerifera</i>	Wax myrtle		X		
<i>Persea palustris</i>	Swamp Bay	X			
<i>Pinus elliotii</i>	Slash pine	X			
<i>Osmunda cinnamomea</i>	Cinnamon fern				X
<i>Rhycospora sp.</i>	Beakrush				X

\* Observed during 2007

Pedestrian Transect: Degraded Wet flatwoods prior to gyrotrack



Post Gyrotrack





## Qualitative Field Assessment Form

Page 1 of 2

<b>Date:</b> 10/25/2006		<b>Time:</b> 10:30 am		<b>Data Collector:</b> David Clayton	
<b>Location:</b> Pedestrian Transect # M12 near photo point 11		<b>Management Unit:</b> 10			
<b>Nuisance Species:</b> None observed					
<b>Fuel Load:</b> Oak Trees have been thinned, area due to be burned winter 2007/2008, fuel load high					
<b>Wildlife Observations:</b> Tohee, cardinal, titmouse, chickadee, mockingbird T& E Species: Active gopher tortoise burrow					
<b>Community Description:</b> Sand hill that has been overgrown with diamond and live oak. Good wire grass cover remains throughout the majority of the site.					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Andropogon glomeratus</i>	Busy blue stem				X
<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass				X
<i>Castanea pumila</i>	Chinkapin	X			
<i>Chrysoma pauciflosculosa</i>	Woody goldenrod				X
<i>Cliftonia monophylla</i>	Black titi		X		
<i>Cnidocolus stimulosus</i>	Tread softly				X
<i>Dichanthelium</i> sp.	Witch grass				X
<i>Diospyros virginiana</i>	Persimon	X			
<i>Bulbostylis ciliatifolia</i>	Capillary hairsedge				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Gelsemium sempervirens</i>	Florida jasmine			X	
<i>Hypericum crux-andreae</i>	St. Peter's wort				X
<i>Ilex opaca</i>	American holly	X			
<i>Licania michauxii</i>	Gopher apple				X
<i>Opuntia humifusa</i>	Pricklypear cactus				X
<i>Osmanthus americana</i>	Wild olive		X		
<i>Penstemon multiflorus</i>	Many flowered beardstongue				X
<i>Persea borbonia</i>	Red bay	X			
<i>Pinus clausa</i>	Sand Pine	X			
<i>Pinus elliotii</i>	Slash pine	X			
<i>Pinus palustris</i>	Longleaf pine	X			
<i>Polygonella gracilis</i>	Wireweed				X
<i>Prunus caroliniana</i>	Cherry laurel	X			
<i>Prunus serotina</i>	Black cherry	X			
<i>Quercus geminata</i>	Sand live oak	X			
<i>Quercus hemisphaerica</i>	Diamond oak	X			
<i>Quercus incana</i>	Blue jack oak	X			
<i>Quercus laevis</i>	Turkey oak	X			
<i>Quercus margaretta</i>	Sand post oak	X			
<i>Quercus virginiana</i>	Live oak	X			
<i>Rhexia mariana</i>	Meadow beauty				X
<i>Scleria</i> sp.	Scleria				X
<i>Smilax</i> sp.	Catbriar			X	
<i>Trichostema setaceum</i>	Blue curls				X
<i>Vaccinium arboreum</i>	Farkleberry		X		
<i>Vaccinium corymbosum</i>	High bush blueberry		X		
<i>Vaccinium myrsinites</i>	Shiny blue berry		X		
<i>Vitis rotundifolia</i>	Muscadine			X	
<i>Yucca filamentosa</i>	Adam's needle				X

\*\* New Observation, Not observed in 2007



Pedestrian Transect: Upland Sand Hill with oak eradication



Still lots of downed trees



**Qualitative Field Assessment Form**

<b>Date:</b> 10/16/2006		<b>Time:</b> 1:11 pm		<b>Data Collector:</b> David Clayton	
<b>Location:</b> Pedestrian Transect # M13 near photo point 7, Management Unit 10					
<b>Nuisance Species:</b> None					
<b>Fuel Load:</b> Oak Trees have been thinned, area burned winter 2007/2008, fuel load low					
Wildlife Observations: downy woodpecker, pileated woodpecker, raccoon tracks, otter tracks, tortoise burrow , 6 pt buck					
<b>T &amp; E Species:</b> Gulf coast lupine					
<b>Community Description:</b> Sandhill upland upslope of black pond. Sandhill with good diversity and excellent groundcover. Wire grass bloomed this summer...area planted with long leaf pine.					
<u>Scientific Name</u>	<u>Common Name</u>	<u>Tree</u>	<u>Shrub</u>	<u>Vine</u>	<u>Herb</u>
<i>Agalinis setacea</i>	Threadleaf false foxgloves				X
<i>Andropogon glomeratus</i>	Busy blue stem				X
<i>Andropogon virginicus</i>	Broom sedge				X
<i>Aristida stricta</i> var. <i>beyrichiana</i>	Wiregrass				X
<i>Aster wateri</i>	Walter's aster				X
<i>Baptisia lanceolata</i>	Gopher weed				X
<i>Baulduina angustifolia</i>	Coastal plain honeycombhead				X
<i>Bulbostylis ciliatifolia</i>	Capillary hair sedge				X
<i>Carphephorus odoratissimus</i>	Vanilla leaf				X
<i>Carphephorus paniculatus</i>	Hairy trilisa				X
<i>Ceanothus microphyllus</i>	Redroot				X
<i>Croton argyranthemus</i>	Silver croton				X
<i>Chrysoma pauciflosculosa</i>	Woody Goldenrod				X
<i>Cnidoscolus stimulosus</i>	Tread softly				X
<i>Crysopsis scabrella</i>	Goldenaster				X
<i>Dalea pinatta</i>	Summer farewell				X
<i>Dicanthelium</i> spp.	Panic grass				X
<i>Eriogonum tomentosum</i>	Wild Buckwheat				X
<i>Eupatorium capillifolium</i>	Dog fennel				X
<i>Eupatorium mohrii</i>	Eupatorium				X
<i>Euthamia caroliniana</i>	Flat-topped goldenrod				X
<i>Galactia volubilis</i>	Milkpea				X
<i>Gaylussacia dumosa</i>	Dwarf huckleberry		X		
<i>Gelsemium sempervirens</i>	Florida Jasmine			X	
<i>Haplopappus divaricatus</i>	Scratch daisy				X
<i>Hieracium gronovii</i>	Hawkweed				X
<i>Hypericum crux-andreae</i>	St. Peter's wort				X
<i>Hypericum gentianoides</i>	Orangeweed				X
<i>Ilex opaca</i>	American holly	X			
<i>Ilex vomitoria</i>	Yaupon		X		
<i>Liatris gracilis</i>	Slender gayfeather				X
<i>Liatris pauciflora</i>	Few flowered gayfeather				X
<i>Licania michauxii</i>	Gopher apple				X
<i>Lupinus diffusus</i>	Sky-blue lupine				X
<i>Lupinus westianus</i>	Gulf coast lupine				X
<i>Opuntia humifusa</i>	Pricklypear cactus				X
<i>Panicum dichotimiflorum</i>	Fall panic grass				X

					Page 2 of 2
<b>Scientific Name</b>	<b>Common Name</b>	<b>Tree</b>	<b>Shrub</b>	<b>Vine</b>	<b>Herb</b>
<i>Penstemon multiflorus</i>	Many flower beardstongue				X
<i>Polygonella gracilis</i>	Wire weed				X
<i>Pinus clausa</i>	Sand Pine	X			
<i>Pinus elliotii</i>	Slash pine	X			
<i>Pinus palustris</i>	Longleaf pine	X			
<i>Pityopsis graminifolia</i>	Golden Aster				X
<i>Polygonella gracilis</i>	Wireweed				X
<i>Pteridium aquilinum</i>	Bracken fern				X
<i>Quercus geminata</i>	Sand Live Oak	X			
<i>Quercus hemispharica</i>	Diamond oak	X			
<i>Quercus incana</i>	Blue jack oak	X			
<i>Quercus laevis</i>	Turkey oak	X			
<i>Quercus margaretta</i>	Sand post oak	X			
<i>Quercus pumila</i>	Runner oak		X		
<i>Rhexia mariana</i>	Pale meadow beauty				X
<i>Rhus copallinum</i>	Winged sumac		X		
<i>Seymeria cassioides</i>	Senna seymaria				X
<i>Serenoa repens</i>	Saw Palmetto		X		
<i>Smilax sp</i>	Catbriar			X	
<i>Solidago fistulosa</i>	Pinebarren goldenrod				X
<i>Stylisma patens</i>	Coastal plain dawnflower				X
<i>Trichostema setaceum</i>	Narrow-leaved blue curls				X
<i>Vaccinium arboreum</i>	Sparkle berry		X		
<i>Vaccinium corymbosum</i>	High bush blueberry		X		
<i>Vaccinium myrsinites</i>	Shiny blue berry		X		
<i>Vitis rotundiflora</i>	Muscadine			X	
<i>Yucca filamentosa</i>	Adam's needle				X

\*\* Added in 2007, not observed in 2007

Pedestrian Transect: Upland Sand Hill with oak eradication: Note: Wiregrass and felled oaks

