



Florida Department of Environmental Protection

Northwest District Office
2353 Jenks Avenue
Panama City, Florida 32405-4389

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

Permittee/Authorized Entity:

Florida DOT, District 3

Joy Giddens

Joy.Giddens@dot.state.fl.us

1074 Highway 90

Chipley, Florida 32428

SR 69 Graves Creek Bridge Replacement

Authorized Agent:

Environmental and Geotechnical Specialists, Inc.

Judith M. Hayden, P.E.

Judy.Hayden@egs-us.com

104 North Magnolia Drive

Tallahassee, Florida 32301

Environmental Resource Permit

State-owned Submerged Lands Authorization – Pending Document Execution

**U.S. Army Corps of Engineers Authorization – Separate Corps Authorization
Required**

Calhoun County

Permit No.: 07-0312650-001-EI

Easement 41517

Permit Issuance Date: September 14, 2012

Permit Construction Phase Expiration Date: September 14, 2017

Consolidated Environmental Resource Permit and Sovereignty Submerged Lands Authorization

**Permittee: Florida Department of Transportation
Permit No: 07-0312650-001-EI**

PROJECT LOCATION

The activities authorized by this Permit and sovereignty submerged lands authorization are located at intersection of SR 69 and Grave Creek, north of Blountstown, Florida, in Section 34, Township 02 North, Range08 West in Calhoun County, at latitude 30.52905 / longitude 80.02988.

PROJECT DESCRIPTION

The permittee is authorized to: impact 0.737 acres, including 0.470 acres of permanent and 0.267 acres of temporary impacts, within the landward extent of **Graves Creek**, a Class III waterbody and wetland for the construction of a temporary bridge and replacement of an existing bridge (FDOT Bridge Number 470023). In addition to the bridge replacement, the permittee is authorized to mill/resurface portions of the existing SR 69 (as shown in the attached plans) and construct other minor improvements (pond access road, paved turnouts, ditch paving for erosion control, and rip rap protection for the bridge embankments). Treatment will be provided by two dry retention facilities ("Dry Ditch 1" and "Dry Ditch 2"). Due to drainage patterns and slopes, approximately 0.31 acres of the new and/or reconstructed impervious area will not be routed to the dry retention facilities. To compensate for this untreated runoff, the runoff from approximately 0.34 acres of existing untreated impervious area will be routed to "Dry Ditch 2". Authorized activities are depicted on the attached exhibits.

To offset unavoidable impacts that will occur from these authorized activities, the permittee shall provide mitigation in accordance with the Regional Mitigation Plan pursuant to OGC #99-1877 and Senate Bill 1986 (Chapter 373.4137, F.S.).

AUTHORIZATIONS

SR 69 Graves Creek Bridge Replacement

Environmental Resource Permit

The Department has determined that the activity qualifies for an Environmental Resource Permit. Therefore, the Environmental Resource Permit is hereby granted, pursuant to Part IV of Chapter 373, Florida Statutes (F.S.), and Chapters 62-346, Florida Administrative Code (F.A.C.).

Sovereignty Submerged Lands Authorization

The activity is located on sovereignty submerged lands owned by the State of Florida. It therefore also requires authorization from the Board of Trustees of the Internal Improvement Trust Fund (Board of Trustees), pursuant to Article X, Section 11 of the Florida Constitution, and Section 253.77, F.S.,

On September 14, 2012, the Board of Trustees granted authority for the Department, acting as staff to the Board in accordance with Sections 253.002, F.S., to proceed with issuance of a public easement for the use for the activity described.

The final documents required to execute the public easement will be sent to the permittee/lessee/grantee by the Department's Division of State Lands for execution. The Department intends to issue the public easement, upon satisfactory execution of those documents, including payment of required fees. **You may not begin construction of the activities described until you receive a copy of the executed public easement from the Department.**

Federal Authorization

A copy of this permit has been sent to the U.S. Army Corps of Engineers (USACE). The USACE may require a separate permit. Failure to obtain any required federal permits prior to construction could subject you to enforcement action by that agency.

Coastal Zone Management

This permit also constitutes a finding of consistency with Florida's Coastal Zone Management Program, as required by Section 307 of the Coastal Management Act.

Water Quality Certification

This permit also constitutes a: water quality certification under Section 401 of the Clean Water Act, 33 U.S.C. 1341

Other Authorizations

You are advised that authorizations or permits for this project may be required by other federal, state or local entities including but not limited to local governments and homeowner's associations. This permit does not relieve you from the requirements to obtain all other required permits or authorizations.

The activity described may be conducted only in accordance with the terms, conditions and attachments contained in this document. Issuance and granting of the permit and authorizations herein do not infer, nor guarantee, nor imply that future permits, authorizations, or modifications will be granted by the Department.

PERMIT /SOVEREIGNTY SUBMERGED LANDS CONDITIONS

The activities described herein must be conducted in accordance with:

- **The Specific Conditions**
- **The General Conditions**
- **The General Conditions for Sovereignty Submerged Lands Authorization**
- **The limits, conditions and locations of work shown in the attached drawings**
- **The term limits of this authorization**

You are advised to read and understand these conditions and drawings prior to commencing the authorized activities, and to ensure the work is conducted in conformance with all the terms, conditions, and drawings. If you are utilizing a contractor, the contractor also should read and understand these conditions and drawings prior to commencing the authorized activities. Failure to comply with these conditions, including any mitigation requirements, shall constitute grounds for revocation of the Permit and appropriate enforcement action by the Department.

Operation of the facility is not authorized except when determined to be in conformance with all applicable rules and this permit/certification/authorization and sovereignty submerged lands authorization, as specifically described above.

SPECIFIC CONDITIONS

PRIOR TO CONSTRUCTION

1. The permittee is hereby advised that Florida law states: "No person shall commence any excavation, construction, or other activity involving the use of sovereign or other lands of the state, title to which is vested in the Board of Trustees of the Internal Improvement Trust Fund or the Department of Environmental Protection under Chapter 253, until such person has received from the Board of Trustees of the Internal Improvement Trust Fund the required lease, license, easement, or other form of consent authorizing the proposed use." Pursuant to Rule 1814.002(1), Florida Administrative Code, if such work is done without consent, or if a person otherwise damages state land or products of state land, the Board of Trustees may levy administrative fines of up to \$10,000 per offense.

2. Prior to construction, the limits of the proposed impact area shall be clearly flagged and staked by the agent and/or the contractor in the beginning phase of construction. All construction personnel shall be shown the location(s) of all wetland areas outside of the construction area to prevent encroachment from heavy equipment into these areas.

3. If the approved permit drawings conflict with the specific conditions, then the specific conditions shall prevail.

WETLAND FILL SPECIFIC CONDITIONS:

CONSTRUCTION ACTIVITIES

3. If during the progress of this project prehistoric or historic artifacts, such as pottery or ceramics, stone tools or metal implements, dugout canoes, or any other physical remains that could be associated with Native American cultures or early colonial or American settlement are encountered at any time within the project site area, the permitted project should cease all activities involving subsurface disturbance in the immediate vicinity of such discoveries. The permittee, or other designee, shall contact the Florida Department of State, Division of Historical Resources, Review and Compliance Section at (850) 245-6333 or (800) 847-7278, as well as the appropriate permitting agency office. Project activities should not resume without verbal and/or written authorization from the Division of Historical Resources. In the event that unmarked human remains are encountered during permitted activities, all work shall stop immediately and the proper authorities notified in accordance with Section Chapter 872.05, Florida Statutes.

4. All storage or stockpiling of tools or materials (i.e. lumber, pilings, etc.) shall be limited to uplands or within the impact areas authorized by this project. In addition, all equipment being utilized shall be limited to operation and storage in uplands or within the impact areas authorized by this permit.

5. In accordance with Rule 62-312.020 (16), Florida Administrative Code, (as adopted in 62-330.100(1)) "riprap" shall consist of unconsolidated boulders, rocks, or clean concrete rubble with no exposed reinforcing rods or similar protrusions. The riprap shall be free of sediment, debris and any toxic or otherwise deleterious substance. The riprap shall have at least a six inch diameter.

6. Any damage to the wetlands/shoreline/littoral zone as a result of the construction shall be repaired by re-establishing the pre-construction elevations and replanting vegetation of the same species, size and density as that in the adjacent areas. The restoration shall be completed within 30 days of completion of the project and the

department shall be notified of its completion within that same 30-day period. Any damage to wetlands/littoral zone area as a result of the seawall construction shall be reported immediately to the DEP Panama City Branch Office, 2353 Jenks Avenue, Panama City, Florida 32405, Phone No. (850) 872-4375.

9. All cleared vegetation, excess lumber, scrap wood, trash, garbage, and any other type of debris shall be removed from the wetlands/waters of the state within 14 days of completion of the work authorized in this permit.

10. Construction activity shall be confined to the authorized impact areas only. Any unauthorized impacts to adjacent wetlands as a result of construction activities shall be reported by the permittee and its consultants/contractors to the Compliance and Enforcement Section of the Submerged Lands and Environmental Resource Program at (850) 872-4375, within 48 hours of discovering the unauthorized impact.

11. Grass seed and mulch or sod shall be installed and maintained on all exposed slopes and disturbed soil areas within 48 hours of completing final grade, and at any other time as necessary, to prevent erosion, sedimentation or turbid discharges into waters of the state and/or adjacent wetlands. A vegetative cover that stabilizes and prevents erosion of the fill material shall be established within 60 days of sodding or seeding. Upon establishment of a substantial vegetative cover, all turbidity barriers/erosion control devices shall be removed.

12. All wetland areas or water bodies which are adjacent to the specific limits of construction authorized by this permit shall be protected from erosion, sedimentation, siltation, scouring, excess turbidity or dewatering.

13. All material used as fill for construction of the roadway shall be clean sand/shell material and shall not be contaminated with vegetation, garbage, trash, tires, hazardous, toxic waste or other materials that are not suitable for road construction within waters of the State as so determined by the Department.

14. The dredged material shall be placed in a self-contained, upland disposal site which will prevent the escape of dredged material and associated effluent into wetlands and surface waters.

15. Best management practices for erosion control shall be implemented and maintained at all times during construction to prevent siltation and turbid discharges in excess of State water quality standards pursuant to Rule 62-302, F.A.C. Methods shall include, but are not limited to the use of staked hay bales, staked filter cloth, sodding,

seeding, and mulching; staged construction; and the installation of turbidity screens around the immediate project site. Erosion control methods shall be implemented as depicted in Sheets 47-51 of the attached permit drawings. The permittee shall be responsible for ensuring that erosion control devices/procedures are inspected and maintained daily during all phases of construction authorized by this permit until all areas that were disturbed during construction are sufficiently stabilized to prevent erosion, siltation, and turbid discharges.

The following measures shall be taken immediately by the permittee whenever turbidity levels within waters of the State surrounding the project site, exceed 29 NTUs above background waters:

- a. Immediately cease all work contributing to the water quality violation.
- b. Stabilize all exposed soils contributing to the violation. Modify the work procedures that were responsible for the violation and install more turbidity containment devices and repair any non-functioning turbidity containment devices.
- c. Notify the Submerged Lands and Environmental Resources Program, DEP Northwest District Panama City office within 24 hours of the time the violation is first detected.

16. The following construction sequence and reporting requirements shall be followed for temporary placement of fill.

a. Prior to the placement of the fill material for temporary access, the areas to be filled shall be photographed and shall be marked to clearly show the pre-construction conditions of these areas. Photograph locations shall be identified on a permit drawing. The photographs and location drawing shall be submitted to the DEP Northwest District Panama City office prior to placement of fill in these areas.

b. The temporary fill shall be stabilized immediately after completion so as not to allow the erosion of material into the waterbody/wetlands.

c. Within 14 days of the completion of that portion of construction which required the temporary fill, that fill shall be removed and the elevation contours in the area of temporary fill shall be restored to those originally present so as to promote natural revegetation of the area.

d. Within 72 hours of grading of the fill area, photographs of the area shall be taken from the same locations as required in (a). These photographs shall be combined with the photographs required in (a) and the location map required in (a) and shall be submitted to the DEP Northwest District Panama City office within 14 days of the completion of the regrading.

e. One year after grading has been completed, photographs of the area shall be taken from the same locations as required in (a), so as to clearly show the condition of

vegetation and substrate within the temporary fill areas. These photographs and a map showing the photograph locations shall be submitted to DEP Northwest District Panama City office within 14 days of their being taken.

17. The permittee and its contractors shall adhere to the standard specification for prevention, control and abatement of erosion and water pollution, as stated in Section 104 of the Florida Department of Transportation- Standard Specifications for Road and Bridge Construction, and to any stricter standards as required by this permit. The permittee and its contractors shall be responsible for ensuring that turbidity/erosion control devices and procedures are inspected and maintained daily during all phases of the construction authorized by this permit until all areas that were disturbed during construction are sufficiently to prevent erosion, siltation, and turbid discharges.

MITIGATION

18. Mitigation shall be associated with the Regional Mitigation Plan pursuant to OGC #99-1877 and Senate Bill 1986 (Chapter 373.4137, F.S.).

STORMWATER SPECIFIC CONDITIONS (If Applicable):

CONSTRUCTION/POST CONSTRUCTION ACTIVITIES

19. The proposed facilities shall be maintained in accordance with the Florida Department of Transportation District 3 operation and maintenance schedule.

20. If any construction de-watering is required, which results in an offsite discharge of groundwater, the permittee and/or the contractor shall ensure that the requirements of pertinent portions of Chapter 62-621, F.A.C. are met. Please contact Bill Armstrong, P.E., at 850-595-0554, for more information.

21. If construction of the stormwater management system authorized by this ERP, individual stormwater permit has not been completed and continued use of the system formally transferred to the operating phase before the expiration date of this permit, then at least 60 days before such expiration date, the permittee shall apply for another individual stormwater permit for construction, using the forms and accompanied by the fee required by rules in effect at that time. The application shall be timely and sufficient, as defined in subsection 62-4.090(1), F.A.C.

22. The stormwater management system shall be inspected by a registered professional at least once every three (3) years after the completion of construction and conversion of this permit to Operation and Maintenance, to ensure that the system is functioning as designed and permitted. The Permittee shall submit to the Department a completed

inspection report on Form No. 62-346.900(8) Operation and Maintenance Inspection Certification.

23. The construction phase expires at 11:59 p.m. on the date indicated on the cover page of this permit.

24. For emergencies involving a serious threat to the public health, safety, welfare, or environment, the emergency telephone contact number is **800-320-0519** (State Warning Point). The Department telephone number for reporting nonthreatening problems or system malfunctions is (850) 872-4375, day or night.

25. The mailing address for submittal of forms for the "Construction Commencement Notice", "As-Built Certification ...", "Request for Conversion of Stormwater Management Permit Construction Phase to Operation and Maintenance Phase", or other correspondence is FDEP, SLERP, 2353 Jenks Avenue, Florida, 32405.

GENERAL CONDITIONS

1. All activities authorized by this permit shall be implemented as set forth in the plans, specifications and performance criteria approved by this permit. Any deviation from the permitted activity and the conditions for undertaking that activity may constitute grounds for revocation or enforcement action by the Department, unless a modification has been applied for and approved in accordance with Rule 62-346.100, F.A.C.

2. This permit or a copy thereof, complete with all conditions, attachments, exhibits, and modifications, shall be kept at the work site of the permitted activity during the construction phase. The complete permit shall be available for review at the work site upon request by the Department staff. The permittee shall require the contractor to review the complete permit prior to commencement of the activity authorized by this permit. A weather-resistant sign, measuring at least 8 1/2 inches by 11 inches, and including the permit number (in lettering that is easily visible from the access road) shall be placed on the property facing the road.

3. Activities approved by this permit shall be conducted in a manner that does not cause violations of state water quality standards.

4. Immediately prior to, during construction, and for the period of time after construction to allow for stabilization of all disturbed areas, the permittee shall implement and maintain erosion and sediment control best management practices, such as silt fences, erosion control blankets, mulch, sediment traps, polyacrylamide (PAM), temporary grass seed, permanent sod, and floating turbidity screens to retain sediment on-site and to

prevent violations of state water quality standards. These devices shall be installed, used, and maintained at all locations where the possibility of transferring suspended solids into the receiving waterbody exists due to the permitted work, and shall remain in place at all locations until construction is completed and soils are permanently stabilized. All best management practices shall be in accordance with the guidelines and specifications described in the State of Florida Erosion and Sediment Control Designer and Reviewer Manual (Florida Department of Transportation and Florida Department of Environmental Protection, 2007), unless a project-specific erosion and sediment control plan is approved as part of the permit. If project-specific conditions require additional measures during any phase of construction or operation to prevent erosion or control sediments beyond those specified in the approved erosion and sediment control plan, the permittee shall implement additional best management practices as necessary, in accordance with the guidelines and specifications in the *State of Florida Erosion and Sediment Control Designer and Reviewer Manual*, Prepared for Florida Department of Transportation & Florida Department of Environmental Protection by HydroDynamics Incorporated in cooperation with Stormwater Management Academy, June 2007. The permittee shall correct any erosion or shoaling that causes adverse impacts to the water resources as soon as practicable. Once project construction has been deemed complete, including the re-stabilization of all side slopes, embankments, and other disturbed areas, and before conversion of the permit to the operation and maintenance phase, all silt screens and fences, temporary baffles, and other materials that are no longer required for erosion and sediment control shall be removed.

5. Stabilization measures shall be initiated for erosion and sediment control on disturbed areas as soon as practicable in portions of the site where construction activities have temporarily or permanently ceased, but in no case more than seven days after the construction activity in that portion of the site has temporarily or permanently ceased.

6. At least 48 hours prior to commencement of activity authorized by this permit, the permittee shall submit to the Department a fully executed Form 62-346.900(3), "Construction Commencement Notice," incorporated by reference herein, indicating the expected start and completion dates. Information on how a copy of this form may be obtained is contained in Rule 62-346.900, F.A.C.

7. Within 30 days after completion of construction of the whole system, or independent portion of the system, the permittee shall notify the Department that construction has been completed and the system is ready for inspection by submitting one of the following forms to the Department office that issued the permit:

a. For systems other than those that serve an individual, private single-family residential dwelling unit, duplex, triplex, or quadruplex, Form 62-346.900(4), "As-Built Certification by a Registered Professional." If the registered professional has certified that the

system has been built substantially in compliance with the plans and specifications in the permit, and that such system is ready for inspection, the permittee shall also submit Form 62-346.900(6), "Request for Conversion of Environmental Resource Individual Permit Construction Phase to Operation and Maintenance Phase." The system shall not be used and operated for its permitted purpose until the Department has approved the request to authorize the operation phase, in accordance with Rule 62-346.095, F.A.C. The "As-Built Certification" shall be for the purpose of determining if the work was completed in substantial compliance with permitted plans and specifications. The certification shall include as-built drawings in the form of the permitted drawings that clearly show any substantial deviations made during construction. The plans must be clearly labeled as "as-built" or "record" drawings.

b. For systems that serve an individual, private single-family residential dwelling unit, duplex, triplex, or quadruplex, Form 62-346.900(5), "Construction Completion and Inspection Certification for a System Serving an Individual, Private Single-Family Dwelling Unit."

8. Each phase or independent portion of the permitted system must be completed in accordance with the permitted plans and permit conditions prior to the initiation of the permitted use of the facility, or the site infrastructure located within the area served by that portion or phase of the system.

9. The permittee shall remain liable for compliance with the operation and maintenance of the system in accordance with the terms and conditions of the permit for the life of the system, unless such permit is transferred to an acceptable responsible entity in accordance with Rules 62-346.095 and 62-346.130, F.A.C. Once transfer of the permit has been approved by the Department, the transferee shall be liable for compliance with all the terms and conditions of the operation and maintenance phase of the permit for the life of the system.

10. Should any other regulatory agency require changes to the permitted system, the permittee shall notify the Department in writing of the changes prior to implementation so that the Department can determine whether a permit modification is appropriate.

11. This permit does not convey to the permittee or create in the permittee any property right or any interest in real property, nor does it authorize any entrance upon or activities on property that is not owned or controlled by the permittee, or convey any rights or privileges other than those specified in this permit or Chapter 62-346, F.A.C. Permittees having the right to exercise the power of eminent domain or who had a contract to purchase the property subject to this permit shall not commence any work under this permit until the permittee has provided the Department with proof of transfer of ownership of the property in the name of the permittee. If such transfer of ownership

does not occur, the permittee shall surrender this permit, and the permit shall be null and void.

12. Pursuant to Section 373.422, F.S., prior to conducting any activities on sovereign submerged lands, the permittee must receive all necessary approvals and authorizations under Chapters 253 and 258, F.S. Written authorization that requires formal execution by the Board of Trustees of the Internal Improvement Trust Fund shall not be considered received until it has been fully executed.

13. The permittee shall hold and save the Department harmless from any and all damages, claims, or liabilities that may arise by reason of the construction, alteration, operation, maintenance, removal, abandonment or use of any system authorized by the permit.

14. The permittee shall notify the Department in writing at least 30 days prior to any sale, conveyance, or other transfer of ownership or control of a permitted system or the real property on which the permitted system is located. Where ownership of the land subject to the permit was demonstrated through a long-term lease, the lessee must have transferred ownership and control of the permitted system to the current landowner or new lessee, effective prior to or on the date of expiration of the lease. All transfers of ownership or transfers of a permit are subject to the requirements of Rules 62-346.095 and 62-346.130, F.A.C.

15. Upon reasonable notice to the permittee, Department staff with proper identification shall have permission to enter, inspect, sample and test the system to ensure conformity with the plans and specifications authorized in the permit.

16. If historical or archaeological artifacts are discovered at any time on the project site, the permittee shall immediately notify the Department.

17. The permittee shall immediately notify the Department in writing of any previously submitted information that is later discovered to be inaccurate.

18. The issuance of this permit does not relieve the permittee from the responsibility to obtain any other required federal, state, and local authorizations.

19. The permittee is advised that, pursuant to Section 556.105, F.S., excavating contractors are required to provide certain information concerning the excavation that may affect underground facilities through the one-call notification system not less than two, nor more than five, business days before beginning any excavation.

GENERAL CONDITIONS FOR SOVEREIGNTY SUBMERGED LANDS AUTHORIZATION

Any use of sovereignty submerged lands is subject to the following general conditions are binding upon the applicant and are enforceable under Chapter 253, F.S. and, as applicable, Chapter 258, F.S.:

1. Sovereignty submerged lands may be used only for the specified activity or use. Any unauthorized deviation from the specified activity or use and the conditions for undertaking that activity or use will constitute a violation. Violation of the authorization will result in suspension or revocation of the applicant's use of the sovereignty submerged lands unless cured to the satisfaction of the Board of Trustees.
2. Authorization under Rule 18-21.005, Florida Administrative Code (F.A.C.), conveys no title to sovereignty submerged lands or water column, nor does it constitute recognition or acknowledgment of any other person's title to such land or water.
3. Authorizations under Rule 18-21.005, F.A.C., may be modified, suspended or revoked in accordance with its terms or the remedies provided in Sections 253.04, F.S. and Chapter 18-14, F.A.C.
4. Structures or activities will be constructed and used to avoid or minimize adverse impacts to resources.
5. Construction, use, or operation of the structure or activity will not adversely affect any species which is endangered, threatened or of special concern, as listed in Rules 68A-27.003, 68A-27.004, and 68A-27.005, F.A.C.
6. Structures or activities will not unreasonably interfere with riparian rights. When a court of competent jurisdiction determines that riparian rights have been unlawfully affected, the structure or activity will be modified in accordance with the court's decision.
7. Structures or activities will not create a navigational hazard.
8. Structures will be maintained in a functional condition and will be repaired or removed if they become dilapidated to such an extent that they are no longer functional.
9. Structures or activities will be constructed, operated, and maintained solely for water dependent purposes.
10. The applicant agrees to indemnify, defend and hold harmless the Board of Trustees and the State of Florida from all claims, actions, lawsuits and demands in any form arising

out of the authorization to use sovereignty submerged lands or the applicant's use and construction of structures on sovereignty submerged lands. This duty to indemnify and hold harmless will include any and all liabilities that are associated with the structure or activity including special assessments or taxes that are now or in the future assessed against the structure or activity during the period of the authorization.

11. Failure by the Board of Trustees to enforce any violation of a provision of the authorization or waiver by the Board of Trustees of any provision of the authorization will not invalidate the provision not enforced or waived, nor will the failure to enforce or a waiver prevent the Board of Trustees from enforcing the unenforced or waived provision in the event of a violation of that provision.

12. Applicant binds itself and its successors and assigns to abide by the provisions and conditions set forth in the authorization. If the applicant or its successors or assigns fails or refuses to comply with the provisions and conditions of the authorization, the authorization may be terminated by the Board of Trustees after written notice to the applicant or its successors or assigns. Upon receipt of such notice, the applicant or its successors or assigns will have thirty (30) days in which to correct the violations. Failure to correct the violations within this period will result in the automatic revocation of this authorization.

13. All costs incurred by the Board of Trustees in enforcing the terms and conditions of the authorization will be paid by the applicant. Any notice required by law will be made by certified mail at the address shown on page one of the authorization. The applicant will notify the Board of Trustees in writing of any change of address at least ten days before the change becomes effective.

14. This authorization does not allow any activity prohibited in a conservation easement or restrictive covenant that prohibits the activity.

NOTICE OF RIGHTS

This action is final and effective on the date filed with the Clerk of the Department unless a petition for an administrative hearing is timely filed under Sections 120.569 and 120.57, F.S., before the deadline for filing a petition. On the filing of a timely and sufficient petition, this action will not be final and effective until further order of the Department. Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the Department's final action may be different from the position taken by it in this notice.

Petition for Administrative Hearing

A person whose substantial interests are affected by the Department's action may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57, F.S. Pursuant to Rule 28-106.201, F.A.C., a petition for an administrative hearing must contain the following information:

(a) The name and address of each agency affected and each agency's file or identification number, if known;

(b) The name, address, and telephone number of the petitioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding; and an explanation of how the petitioner's substantial interests are or will be affected by the agency determination;

(c) A statement of when and how the petitioner received notice of the agency decision;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;

(e) A concise statement of the ultimate facts alleged, including the specific facts that the petitioner contends warrant reversal or modification of the agency's proposed action;

(f) A statement of the specific rules or statutes that the petitioner contends require reversal or modification of the agency's proposed action, including an explanation of how the alleged facts relate to the specific rules or statutes; and

(g) A statement of the relief sought by the petitioner, stating precisely the action that the petitioner wishes the agency to take with respect to the agency's proposed action.

The petition must be filed (received by the Clerk) in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000. Also, a copy of the petition shall be mailed to the applicant at the address indicated above at the time of filing.

Time Period for Filing a Petition

In accordance with subsection 62-110.106(3), F.A.C., petitions for an administrative hearing by the applicant must be filed within 14 days of receipt of this written notice. Petitions filed by any persons other than the applicant, and other than those entitled to written notice under Section 120.60(3), F.S. must be filed within 14 days of publication of the notice or within 14 days of receipt of the written notice, whichever occurs first. Under Section 120.60(3), F.S., however, any person who has asked the Department for notice of agency action may file a petition within 14 days of receipt of such notice, regardless of the date of publication. The failure to file a petition within the appropriate time period shall

constitute a waiver of that person's right to request an administrative determination (hearing) under Sections 120.569 and 120.57, F.S., or to intervene in this proceeding and participate as a party to it. Any subsequent intervention (in a proceeding initiated by another party) will be only at the discretion of the presiding officer upon the filing of a motion in compliance with Rule 28-106.205, F.A.C.

Extension of Time

Under subsection 62-110.106(4), F.A.C., a person whose substantial interests are affected by the Department's action may also request an extension of time to file a petition for an administrative hearing. The Department may, for good cause shown, grant the request for an extension of time. Requests for extension of time must be filed with the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida 32399-3000, before the applicable deadline for filing a petition for an administrative hearing. A timely request for extension of time shall toll the running of the time period for filing a petition until the request is acted upon.

Mediation

Mediation is not available in this proceeding.

FLAWAC Review

The applicant, or any party within the meaning of Section 373.114(1)(a) or 373.4275, F.S., may also seek appellate review of this order before the Land and Water Adjudicatory Commission under Section 373.114(1) or 373.4275, F.S. Requests for review before the Land and Water Adjudicatory Commission must be filed with the Secretary of the Commission and served on the Department within 20 days from the date when the order is filed with the Clerk of the Department.

Judicial Review

Any party to this action has the right to seek judicial review pursuant to Section 120.68, F.S., by filing a Notice of Appeal pursuant to Rules 9.110 and 9.190, Florida Rules of Appellate Procedure, with the Clerk of the Department in the Office of General Counsel, 3900 Commonwealth Boulevard, M.S. 35, Tallahassee, Florida 32399-3000; and by filing a copy of the Notice of Appeal accompanied by the applicable filing fees with the appropriate District Court of Appeal. The Notice of Appeal must be filed within 30 days from the date this action is filed with the Clerk of the Department.

If you have any questions about this document, please contact Michael Mathews at 850/767-0042 or by email at michael.mathews@dep.state.fl.us

Executed in Bay County, Florida.

STATE OF FLORIDA DEPARTMENT
OF ENVIRONMENTAL PROTECTION



Clifford D. Wilson III, P.E.
Northwest District Branch Administrator
FL Dept. of Environmental Protection

CDW:mm

Attachments:

Exhibit 1, Project Drawings and Design Specs., 43 pages

Exhibit 2, Drainage Drawings, 5 pages

Exhibit 3, Wetland Impact Drawings, 21 pages

Copies of 62-346.900 forms can be obtained at:

<http://www.dep.state.fl.us/water/wetlands/erp/forms.htm>

Copies furnished to:

Ms. Lea Crandall, DEP OGC, lea.crandall@dep.state.fl.us

Mr. Andrew Kizlauskas, USACE, andrew.a.kizlauskas@usace.army.mil

Mr. Matthew Steen, P.E., Johnson, Mirmiran & Thompson, Inc. Msteen@jmt.com

File

CERTIFICATE OF SERVICE

The undersigned hereby certifies that this permit and authorization to use sovereignty submerged lands, including all copies, were mailed and/or emailed before the close of business on September 14, 2012 to the above listed persons.

FILING AND ACKNOWLEDGMENT

FILED, on this date, under Section 120.52(7) of the Florida Statutes, with the designated Department Clerk, receipt of which is hereby acknowledged.

_____ September 14, 2012
Clerk Date

Prepared By: Mike Mathews

69 pages attached

COMPONENTS OF CONTRACT PLANS SET

ROADWAY PLANS
SECURE AND PAVEMENT MARKING PLANS
STRUCTURE PLANS

A DETAILED INDEX APPEARS ON THE
KEY SHEET OF EACH COMPONENT

INDEX OF ROADWAY PLANS

SHEET NO.	SHEET DESCRIPTION
1	KEY SHEET
2	SUMMARY OF PAY ITEMS
3	DR IMAGE MAP
4-6	TYPICAL SECTIONS
7	TYPICAL SECTIONS DETAIL
8-9	SUMMARY OF QUANTITIES
10	SUMMARY OF DRAINAGE STRUCTURES
11	OPTIONAL MATERIALS TABULATION
12	PROJECT SURVEY CONTROL
13	PROJECT LAYOUT
14	GENERAL NOTES
15-18	ROADWAY PLAN-PROFILES
19-22	DRAINAGE STRUCTURES
23-32	DRAINAGE DETAILS
33	ROADWAY SOIL SURVEY
34	SOIL SURVEY STORMWATER SWALES
35-36	REPORT OF SWALE BORINGS
37-45	CROSS SECTION
46	CROSS SECTIONS DRIVEWAY
47-51	STORMWATER POLLUTION PREVENTION PLAN
52-62	TEMPORARY TRAFFIC CONTROL PLANS
63-71	UTILITY ADJUSTMENT

COVERING STANDARDS AND SPECIFICATIONS:
FLORIDA DEPARTMENT OF TRANSPORTATION,
DESIGN STANDARDS DATED 2010
AND STANDARD SPECIFICATIONS FOR ROAD AND
BRIDGE CONSTRUCTION DATED 2001,
AS AMENDED BY CONTRACT DOCUMENTS.



APPLICABLE DESIGN STANDARDS
MODIFICATIONS 07-01-2013
For Design Standards Modifications click on
"Design Standards" at the following web site:
<http://www.dot.state.fl.us/rdsdesign/designstandards/standards.shtml>

REVISIONS

**STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION**

CONTRACT PLANS

FINANCIAL PROJECT ID 423234-1-52-01
(FEDERAL FUNDS)
CALHOUN COUNTY (47030)
STATE ROAD 69



ROADWAY SHOP DRAWINGS
TO BE SUBMITTED TO:

MATTHEW S. STEEN, P.E.
JOHNSON, WARRIEN & THOMPSON
615 CRESCENT EXECUTIVE COURT, SUITE 106
LAKE MARY, FL 32746

PLANS PREPARED BY:



JOHNSON, WARRIEN & THOMPSON
615 CRESCENT EXECUTIVE COURT, SUITE 106
LAKE MARY, FLORIDA 32746
CERTIFICATE OF AUTHORIZATION NO. 997
CONTRACT NO. C-817
VENDOR NO. S2-0963531

NOTE: THE SCALE AND MESSAGE
HAVE CHANGED SINCE THE PREVIOUS EDITION.



ROADWAY PLANS
ENGINEER OF RECORD: MATTHEW S. STEEN, P.E.

P.E. NO. 60407

FISCAL YEAR	SHEET NO.
14	1

SR 69 (GRAND RIDGE HIGHWAY)
BRIDGE REPLACEMENT OVER
GRAVES CREEK

PROJECT LENGTH IS BASED ON 8 OF SURVEY

LENGTH OF PROJECT		
	LINEAR FEET	MILES
ROADWAY	1457.22	0.276
BRIDGES	210.00	0.039
NET LENGTH OF PROJECT	1667.22	0.315
EXCEPTIONS	N/A	N/A
GROSS LENGTH OF PROJECT	1667.22	0.315

FDOT PROJECT MANAGER: CLAY HUNTER, P.E.

KEY SHEET REVISIONS	
DATE	DESCRIPTION

EXHIBIT 1

NOTICE: THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE SIGNED AND SEALED UNDER RULE 6005-23.003, F.A.C.